

jade011314

```
asdm image flash:/asdm-504.bin
asdm location 30.30.30.0 255.255.255.224 inside
asdm location 192.168.1.0 255.255.255.0 inside
asdm location 70.158. [REDACTED] 255.255.255.0 outside
asdm location 70.158. [REDACTED] 255.255.255.248 outside
asdm location 70.155. [REDACTED] 255.255.255.255 inside
asdm history enable
: Saved
:
PIX Version 7.0(5)
!
hostname [REDACTED]
domain-name [REDACTED]
enable password [REDACTED] encrypted
names
no dns-guard
!
interface Ethernet0
 nameif outside
 security-level 0
 ip address 70.155. [REDACTED] 255.255.255.248
!
interface Ethernet1
 nameif inside
 security-level 100
 ip address 30.30.30.1 255.255.255.0
!
interface Ethernet2
 shutdown
 no nameif
 no security-level
 no ip address
!
interface Ethernet3
 shutdown
 no nameif
 no security-level
 no ip address
!
interface Ethernet4
 shutdown
 no nameif
 no security-level
 no ip address
!
interface Ethernet5
 shutdown
 no nameif
```

jade011314

```
no security-level
no ip address
!
passwd [REDACTED] encrypted
boot system flash:/image.bin
ftp mode passive
clock timezone EST -5
dns domain-lookup outside
dns name-server [REDACTED]
dns name-server [REDACTED]
same-security-traffic permit inter-interface
access-list inside_nat0_outbound extended permit ip 30.30.30.0 255.255.255.0
30.30.30.0 255.255.255.192
access-list inside_nat0_outbound extended permit ip 192.168.1.0 255.255.255.0
20.20.20.0 255.255.255.0
access-list inside_nat0_outbound extended permit ip 30.30.30.0 255.255.255.0
192.168.1.0 255.255.255.0
access-list outside_cryptomap_20 extended permit ip 30.30.30.0 255.255.255.0
192.168.1.0 255.255.255.0
access-list outside-in remark SIP
access-list outside-in extended permit tcp any any eq sip
access-list outside-in extended permit icmp any any
access-list outside-in remark SIP
access-list outside-in remark RDC
access-list outside-in extended permit tcp any any eq 3389
access-list outside_access_in extended permit icmp any any
access-list outside_access_in remark RDC
access-list outside_access_in extended permit tcp any eq 3389 any eq 3389
access-list outside_access_in extended permit udp any eq sip any eq sip
access-list outside_access_in remark L2F-L2TP
access-list outside_access_in extended permit tcp any host 70.155 [REDACTED] eq www
access-list outside_cryptomap_20_1 extended permit ip 192.168.1.0 255.255.255.0
20.20.20.0 255.255.255.0
access-list outside_cryptomap_40 extended permit ip 30.30.30.0 255.255.255.0
192.168.1.0 255.255.255.0
access-list inside_access_in extended permit udp any eq sip any eq sip
access-list inside_access_in extended permit ip any any
pager lines 24
logging enable
logging asdm informational
mtu outside 1500
mtu inside 1500
ip local pool [REDACTED] 30.30.30.30-30.30.30.35 mask 255.255.255.0
no failover
monitor-interface outside
monitor-interface inside
asdm image flash:/asdm-504.bin
asdm history enable
```

jade011314

```
arp timeout 14400
global (outside) 1 interface
nat (inside) 0 access-list inside_nat0_outbound
nat (inside) 1 30.30.30.0 255.255.255.0
access-group outside_access_in in interface outside
access-group inside_access_in in interface inside
route outside 0.0.0.0 0.0.0.0 70.155. 1
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 icmp 0:00:02
timeout sunrpc 0:10:00 h323 0:05:00 h225 1:00:00 mgcp 0:05:00
timeout mgcp-pat 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
aaa-server TACACS+ protocol tacacs+
aaa-server RADIUS protocol radius
group-policy  internal
group-policy  attributes
  dns-server value 30.30.30.1
username admin password  encrypted privilege 15
http server enable
http 70.158. 255.255.255.255 outside
http 30.30.30.0 255.255.255.0 inside
no snmp-server location
no snmp-server contact
snmp-server community public
snmp-server enable traps snmp authentication linkup linkdown coldstart
crypto ipsec transform-set ESP-3DES-SHA esp-3des esp-sha-hmac
crypto dynamic-map outside_dyn_map 20 set transform-set ESP-3DES-SHA
crypto map outside_map 20 match address outside_cryptomap_20_1
crypto map outside_map 20 set peer 68.153.
crypto map outside_map 20 set transform-set ESP-3DES-SHA
crypto map outside_map 40 match address outside_cryptomap_40
crypto map outside_map 40 set peer 70. 3.
crypto map outside_map 40 set transform-set ESP-3DES-SHA
crypto map outside_map 65535 ipsec-isakmp dynamic outside_dyn_map
crypto map outside_map interface outside
isakmp enable outside
isakmp policy 10 authentication pre-share
isakmp policy 10 encryption 3des
isakmp policy 10 hash sha
isakmp policy 10 group 2
isakmp policy 10 lifetime 86400
isakmp policy 65535 authentication pre-share
isakmp policy 65535 encryption 3des
isakmp policy 65535 hash sha
isakmp policy 65535 group 2
isakmp policy 65535 lifetime 86400
tunnel-group 68.153.  type ipsec-l2l
tunnel-group 68.153.  ipsec-attributes
```

```
pre-shared-key *
tunnel-group [REDACTED] type ipsec-ra
tunnel-group [REDACTED] general-attributes
address-pool [REDACTED]
default-group-policy [REDACTED]
tunnel-group JADE ipsec-attributes
pre-shared-key *
tunnel-group 70.158.[REDACTED] type ipsec-l2l
tunnel-group 70.158.[REDACTED] ipsec-attributes
pre-shared-key *
telnet 70.158.[REDACTED] 255.255.255.255 outside
telnet 192.168.1.0 255.255.255.0 inside
telnet timeout 5
ssh [REDACTED] 255.255.255.255 outside
ssh [REDACTED] 255.255.255.255 outside
ssh [REDACTED] 255.255.255.0 inside
ssh timeout 30
console timeout 0
dhcpd address 30.30.30.2-30.30.30.15 inside
dhcpd dns [REDACTED]
dhcpd lease 3600
dhcpd ping_timeout 750
dhcpd enable inside
!
class-map inspection_default
match default-inspection-traffic
!
!
policy-map global_policy
class inspection_default
inspect dns
inspect ftp
inspect h323 h225
inspect h323 ras
inspect http
inspect netbios
inspect rsh
inspect rtsp
inspect skinny
inspect esmtp
inspect sqlnet
inspect sunrpc
inspect tftp
inspect sip
inspect xdmcp
!
service-policy global_policy global
ntp server 195.5.41.42 source outside
```

jade011314

tftp-server inside 30.30.30.2 tftp-root

Cryptochecksum:18702ce424fd33d16e8cff4cb1fb5821

: end