

log

```
#sh run
Building configuration...

Current configuration : 11944 bytes
!
version 12.4
service timestamps debug datetime msec
service timestamps log datetime msec
service password-encryption
!
hostname GATEWAY

!
aaa session-id common
!
resource policy
!
!
!
ip cef
!
!
no ip domain lookup
ip domain name gpak.com
ip name-server 8.8.8.8
ip ssh time-out 20
ip inspect name WEB-TRAFFIC http
ip inspect name WEB-TRAFFIC https
ip inspect name WEB-TRAFFIC tcp
ip inspect name WEB-TRAFFIC udp
!
!
voice-card 0
  no dspfarm
  dsp services dspfarm
  no local-bypass
!
password encryption aes
modemcap entry mytest:MSC=&F1S0=1
!
!
voice service voip
  sip
    bind control source-interface FastEthernet0/1
    bind media source-interface FastEthernet0/1
    session transport tcp
!
!
!
!
!
```

log

```
!  
voice class custom-cptone Mtone  
  dualtone disconnect  
  frequency 425  
  cadence 250 250  
!  
!  
!  
!  
voice translation-rule 1  
  rule 1 // /021531xxxx/  
!  
voice translation-rule 2  
  rule 1 /^9/ /29/  
!  
voice translation-rule 5  
  rule 1 /^.*\(...\)/ /\1/  
!  
voice translation-rule 6  
  rule 1 // /02153xxxx/  
!  
voice translation-rule 7  
  rule 1 /^9/ /19/  
!  
voice translation-rule 8  
  rule 1 // /021531xxxx/  
!  
voice translation-rule 9  
  rule 1 /^9/ /39/  
!  
voice translation-rule 200  
  rule 1 /^.* /021212xxxx/  
!  
!  
voice translation-profile Furqan  
  translate called 6  
!  
voice translation-profile Furqan-1  
  translate called 7  
!  
voice translation-profile Helpdesk  
  translate called 8  
!  
voice translation-profile Helpdesk1  
  translate called 9  
!  
voice translation-profile OUTGOING  
  translate calling 200  
!  
voice translation-profile SaqibSB  
  translate called 1  
!
```

log

voice translation-profile SaqibSBG

translate called 2

!
!
!

crypto pki trustpoint TP-self-signed-4161639511

enrollment selfsigned

subject-name cn=IOS-Self-Signed-Certificate-4161639511

revocation-check none

rsakeypair TP-self-signed-4161639511

!
!

crypto pki certificate chain TP-self-signed-4161639511

certificate self-signed 01

```
30820254 308201BD A0030201 02020101 300D0609 2A864886 F70D0101 04050030
31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274
69666963 6174652D 34313631 36333935 3131301E 170D3136 30393239 30383038
30325A17 0D323030 31303130 30303030 305A3031 312F302D 06035504 03132649
4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D34 31363136
33393531 3130819F 300D0609 2A864886 F70D0101 01050003 818D0030 81890281
8100A830 3B4A6CD5 DEAA1678 AF832112 6C9149D9 A964B0DA 6AC6D319 D3CFE244
FBC065EA 1B37E847 ACAB682B 48EDDC01 D41DCF7E DB0EC337 6D994851 66C57B1C
0CFE6825 A1C2FF2D B184E66F E01FD159 6D8D5238 D51640CD B21BFCC6 4C6F3AD0
9C1CF9EF 944148D8 014D6C5 1481824B 6E029973 C6AF4128
F0FD5796 A850301D 0603551D 0E041604 14D6C514 81824B6E 029973C6 AF4128F0
FD5796A8 50300D06 092A8648 86F70D01 01040500 03818100 167E3635 6D338088
982B8B7C 82FF2A5D 11CF257F 1956601A E95F01BB E31AA62E 63865FBB D5275DBA
F74876CD 1D9879A8 D375D862 FCE37B3F 76087C6F AF7B439A AD0B0D89 1D86D56A
5C4F2F6E CDC1840A 884B4449 CF16240B A7A0C931 34BCA9B0 99707D50 E57851E8
6F765876 57335CFB 499D553E A1CADB83 A504789B 23AA7A38
```

quit

!

application

service c5 cisco.tcl

!

service c6 cisco

!

service c7 flash:cisco.tcl

!

service c9 clid_col_npw_3

!

service c10 app_clid_col_npw_3_script.tcl

!

service c1 script.tcl

!

service c2 script.tcl

!

!

username sh privilege 15 secret 5 \$1\$0nZ1\$yaf6qDCkpJ4.dzn0

username fa privilege 15 secret 5 \$1\$I2jJ\$fJW63z0oUBQA7oQm/

!
!

log

```
!  
!  
!  
!  
interface FastEthernet0/1  
  ip address 10.2.0.210 255.255.255.248  
  duplex auto  
  speed auto  
!  
  
!  
ip route 10.2.0.0 255.255.255.0 FastEthernet0/0  
ip route 10.112.0.93 255.255.255.255 10.2.0.209  
ip route 10.112.0.132 255.255.255.255 10.2.0.209  
ip route 15.1.0.0 255.255.255.0 13.1.1.1  
!  
  
!  
!  
!  
control-plane  
!  
!  
!  
voice-port 0/0/0  
  cptone PK  
  timeouts call-disconnect 3  
  timeouts wait-release 3  
  connection plar 3000  
  description "Telecard"  
  bearer-cap Speech  
  caller-id enable  
!  
voice-port 0/0/1  
  cptone PK  
  timeouts call-disconnect 3  
  timeouts wait-release 3  
  connection plar 3000  
  description "Telecard"  
  bearer-cap Speech  
  caller-id enable  
!  
voice-port 0/0/2  
  timeouts call-disconnect 3  
  timeouts wait-release 3  
  connection plar 3000  
  description "Telecard"  
  bearer-cap Speech  
  caller-id enable  
!  
voice-port 0/0/3  
  timeouts call-disconnect 3
```

log

```
timeouts wait-release 3
connection plar 3000
description "Telecard"
bearer-cap Speech
caller-id enable
!
voice-port 0/1/0
supervisory disconnect dualtone mid-call
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "35316xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/1/1
supervisory disconnect dualtone mid-call
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "3531xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/1/2
supervisory disconnect dualtone mid-call
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "3531xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/1/3
supervisory disconnect dualtone mid-call
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "3531xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/2/0
translation-profile incoming Furqan
supervisory disconnect dualtone mid-call
timeouts call-disconnect 0
timeouts wait-release 2
description "3531xxx"
```

log

```
bearer-cap Speech
caller-id enable
!
voice-port 0/2/1
translation-profile incoming SaqibSB
supervisory disconnect dualtone mid-call
timeouts call-disconnect 0
timeouts wait-release 2
description "3531xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/2/2
translation-profile incoming Helpdesk
supervisory disconnect dualtone mid-call
timeouts call-disconnect 0
timeouts wait-release 2
description "3531xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/2/3
supervisory disconnect dualtone mid-call
timeouts call-disconnect 0
timeouts wait-release 2
connection plar 3000
description "353xxx"
bearer-cap Speech
caller-id enable
!
voice-port 0/3/0
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "Telecard"
bearer-cap Speech
caller-id enable
!
voice-port 0/3/1
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
connection plar 3000
description "Telecard"
bearer-cap Speech
caller-id enable
!
voice-port 0/3/2
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
```

log

```
connection plar 3000
description "Telecard"
bearer-cap Speech
caller-id enable
!
voice-port 0/3/3
cptone PK
timeouts call-disconnect 3
timeouts wait-release 3
description "Free"
bearer-cap Speech
caller-id enable
!
!
!
!
!
dial-peer voice 9 voip
destination-pattern 3000
progress_ind setup enable 3
progress_ind progress enable 8
session target ipv4:192.168.x.101
dtmf-relay h245-alphanumeric
codec g711ulaw
!
dial-peer voice 15 pots
preference 4
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/3/0
!
dial-peer voice 16 pots
preference 1
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/3/1
!
dial-peer voice 17 pots
preference 5
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/3/2
!
dial-peer voice 11 pots
incoming called-number 021531xxx
direct-inward-dial
port 0/2/1
!
dial-peer voice 12 voip
```

log

```
destination-pattern 021531xxx
progress_ind setup enable 3
progress_ind progress enable 8
session target ipv4:192.168.x.101
codec g711ulaw
!
dial-peer voice 21 voip
translation-profile incoming SaqibSBG
answer-address 021531xxx
!
dial-peer voice 29 pots
destination-pattern 29T
port 0/2/1
!
dial-peer voice 991 voip
destination-pattern 7
session target ipv4:192.168.x.101
codec g711ulaw
!
dial-peer voice 27 voip
destination-pattern 303
session target ipv4:192.168.x.101
codec g711ulaw
!
dial-peer voice 10 pots
incoming called-number 021531xxx
direct-inward-dial
port 0/2/0
!
dial-peer voice 20 voip
destination-pattern 021531xxx
progress_ind setup enable 3
progress_ind progress enable 8
session target ipv4:192.168.36.101
codec g711ulaw
!
dial-peer voice 23 voip
translation-profile incoming Furqan-1
answer-address 021531xxx
!
dial-peer voice 19 pots
destination-pattern 19T
port 0/2/0
!
dial-peer voice 42 voip
destination-pattern 021531xxx
progress_ind setup enable 3
progress_ind progress enable 8
session target ipv4:192.168.x.101
codec g711ulaw
!
dial-peer voice 43 voip
```



```

log
translation-profile incoming Helpdesk1
answer-address 0215316150
!
dial-peer voice 13 pots
incoming called-number 021531xxx
direct-inward-dial
port 0/2/2
!
dial-peer voice 39 pots
destination-pattern 39T
port 0/2/2
!
dial-peer voice 25 pots
preference 2
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/0/0
!
dial-peer voice 26 pots
preference 3
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/0/1
!
dial-peer voice 24 pots
preference 6
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/0/2
!
dial-peer voice 28 pots
preference 7
destination-pattern 9.
progress_ind setup enable 3
progress_ind progress enable 8
port 0/0/3
!
dial-peer voice 993 voip
!
dial-peer voice 994 voip
!
dial-peer voice 995 voip
!
dial-peer voice 996 voip
!
dial-peer voice 200 voip
description Wateen OUTGOING CALL
translation-profile outgoing OUTGOING
destination-pattern 7T

```

log

```
session protocol sipv2
session target ipv4:10.112.1.132
dtmf-relay sip-notify rtp-nte h245-alphanumeric
!
dial-peer voice 992 voip
destination-pattern 2..
session target ipv4:192.168.x.101
codec g711ulaw
!
sip-ua
!
!
!
banner motd ^C
```