



Register

Login

Cisco Support Community / Security / AAA, Identity and NAC / Sponsor Approved Guest Access

All community

Options

Search the Community



Welcome to Cisco Support Community. We would love to have your feedback.

For an introduction to the new site, [click here](#). If you'd prefer to explore, try our [test area](#) to get started. And see [here for current known issues](#).



VIP Francesco Molino ★ VIP Blue

06-17-2016 07:57 AM

Yes this the right rule

Yes this the right rule however it needs to be moved before the rule 4 that denying all 10.0.0.0/8 network.

Thanks

Francesco

PS: Please don't forget to rate and select as validated answer if this answered your question



0 Helpful

Reply



Steven Williams New Member

06-17-2016 08:15 AM

No change. It looks like tha

No change. It looks like tha CoA is the issue. And I guess without that working I wont get any further. Support for CoA in the radius server settings is enabled. I see the default port 1700 on the network device in ISE. I see the port 1700 being accepted at the firewall...So this should work!



0 Helpful

Reply



VIP Francesco Molino ★ VIP Blue

06-17-2016 08:24 AM

✓ Could you send a screenshot

Could you send a screenshot of the configuration of radius server in the WLC (the detail page please).

Did you take a look on the wlc/monitor clients if the ACL was pushed to authenticated clients ? What's the result?

Thanks

Thanks

Francesco

PS: Please don't forget to rate and select as validated answer if this answered your question



0 Helpful

Reply



Steven Williams New Member

06-17-2016 08:36 AM

Ok good Call!!! The client

Ok good Call!!! The client wasnt getting the "INTERNET\_ONLY" ACL. It was because the airespace box in the authorization profile was not setup! WOW. Thanks for all your help!



0 Helpful

Reply



Francesco Molino ★ VIP Blue

06-17-2016 08:45 AM

You're very welcome

You're very welcome

Thanks

Francesco

PS: Please don't forget to rate and select as validated answer if this answered your question



0 Helpful

Reply



Steven Williams New Member

06-17-2016 08:46 AM

Is it normal for the endpoint

Is it normal for the endpoint profile to be unknown?



0 Helpful

Reply



VIP Francesco Molino ★ VIP Blue

06-17-2016 09:51 AM

Yes it's based on probes

Yes it's based on probes

Thanks

Francesco

PS: Please don't forget to rate and select as validated answer if this answered your question



0 Helpful

Reply



VIP Francesco Molino ★ VIP Blue

06-16-2016 08:39 AM

I will just do again the

I will just do again the guest rules in order to be more precise but yours are looking good enough to make distinction between activated guest and someone who is looking to get redirected.

Thanks

Francesco

PS: Please don't forget to rate and select as validated answer if this answered your question

document\_guest\_copy.docx



0 Helpful

Reply

< Previous 1 2 Next >

Popular Documents

ALL DOCUMENTS

## ASA NAT 8.3+ - NAT Operation and Configuration Format (CLI)

Created by Jouni Forss on 03-20-2013 12:55 PM

40 161

Table of ContentsIntroductionVersion HistoryPossible Future UpdatesDocuments PurposeNAT Operation in ASA 8.3+ SectionsRule Types Network Object NATTwice NAT / Manual NATRule Types used per SectionNAT Types used with Twice NAT / Manual NAT and Network Obj...

## How Does NAT-T work with IPSec?

Created by athukral on 05-23-2011 01:20 AM

22 150

Table of Contents Introduction:This document describes details on how NAT-T works. Background: ESP encrypts all critical information, encapsulating the entire inner TCP/UDP datagram within an ESP header. ESP is an IP protocol in the same sense that TCP an...

## ASA Pre-8.3 to 8.3 NAT configuration examples

Created by Magnus Mortensen on 05-12-2010 09:06 AM

52 86

Static NAT/PAT Pre-8.3 NAT8.3 NATRegular Static NAT static (inside,outside) 192.168.100.100 10.1.1.6 netmask 255.255.255.255 object network obj-10.1.1.6 host 10.1.1.6 nat (inside,outside) static 192.168.100.100 Regular Static PAT static (inside,outside) t...



569  
VIEWS



5  
HELPFUL



37  
REPLIES

Recommended

Cisco ISE Guest Sponsor Portal Issue

Pranav Gade

ISE 1.3 Sponsor Portal.

graham.harper

ISE1.3でのSponsor/Guest Portal URLの変更

hiryokoy

ISE 1.4 Sponsor Portal Guests Accounts

James Davies

Add Approved URLs on SA540 Security App...

smallbusiness

Popular Blogs

ALL BLOGS

AnyConnect Certificate Based Authentication.

Created by Marvin Ruiz on 08-27-2012 05:20 PM

36 60

BLOG (No Title)

Created by athukral on 06-14-2011 04:23 AM

15 35

Wireless Hacking

Created by Anim Saxena on 01-24-2013 07:56 AM

2 20

Top

powered by



[Contacts](#)  
[Feedback](#)  
[Site Map](#)  
[Terms & Conditions](#)

[Privacy Statement](#)  
[Cookie Policy](#)  
[Trademarks](#)  
[Help](#)

