

: Saved

: Written by enable_15 at 10:40:51.821 UTC Tue Nov 20 2007

!

ASA Version 7.2(2)

!

hostname TEST123

domain-name default.domain.invalid

enable password 8Ry2YjIyt7RRXU24 encrypted

names

!

interface Vlan1

nameif inside

security-level 100

ip address 10.2.1.1 255.255.255.0

!

interface Vlan2

nameif outside

security-level 0

ip address 10.0.0.99 255.255.255.0

!

interface Vlan3

nameif backup

security-level 0

ip address 10.10.10.87 255.255.255.0

!

<--- More --->

interface Ethernet0/0

switchport access vlan 2

!

interface Ethernet0/1

!

interface Ethernet0/2

switchport access vlan 3

!

interface Ethernet0/3

!

interface Ethernet0/4

!

interface Ethernet0/5

!

interface Ethernet0/6

!

interface Ethernet0/7

!

passwd 2KFQnbNIdI.2KYOU encrypted

ftp mode passive

dns server-group DefaultDNS

domain-name default.domain.invalid

access-list mss-list extended permit ip any any

access-list outside_20_cryptomap extended permit ip 10.2.1.0 255.255.255.0 X.X.X.0 255.255.255.0

<--- More --->

access-list inside_nat0_outbound extended permit ip 10.2.1.0 255.255.255.0 X.X.X.0 255.255.255.0

!

tcp-map mss-map1

 exceed-mss allow

!

pager lines 24

logging asdm informational

mtu inside 1500

mtu outside 1500

mtu backup 1500

no failover

icmp unreachable rate-limit 1 burst-size 1

asdm image disk0:/asdm-522.bin

no asdm history enable

arp timeout 14400

global (outside) 1 interface

global (backup) 1 interface

nat (inside) 0 access-list inside_nat0_outbound

nat (inside) 1 0.0.0.0 0.0.0.0

route outside 0.0.0.0 0.0.0.0 10.0.0.2 1 track 1

route backup 0.0.0.0 0.0.0.0 10.10.10.254 254

timeout xlate 3:00:00

timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 icmp 0:00:02

<--- More --->

timeout sunrpc 0:10:00 h323 0:05:00 h225 1:00:00 mgcp 0:05:00 mgcp-pat 0:05:00

timeout sip 0:30:00 sip_media 0:02:00 sip-invite 0:03:00 sip-disconnect 0:02:00

timeout uauth 0:05:00 absolute

http server enable

http 0.0.0.0 0.0.0.0 inside

no snmp-server location

no snmp-server contact

snmp-server enable traps snmp authentication linkup linkdown coldstart

sla monitor 123

type echo protocol ipIcmpEcho 10.0.0.2 interface outside

num-packets 3

frequency 10

sla monitor schedule 123 life forever start-time now

track 1 rtr 123 reachability

telnet timeout 5

ssh timeout 5

console timeout 0

dhcpd dns X.X.X.7 X.X.X.11

dhcpd domain axinvest.com

dhcpd auto_config outside

!

dhcpd address 10.2.1.30-10.2.1.50 inside

dhcpd enable inside

class-map mss-map1

match access-list mss-list

class-map inspection_default

<--- More --->

match default-inspection-traffic!

policy-map global_policy

class mss-map1

set connection advanced-options mss-map1

class inspection_default

inspect pptp

inspect ftp

inspect ipsec-pass-thru

!

service-policy global_policy global

prompt hostname context

Cryptochecksum:aa6742d66fa6b80c5bc7f6b8f1abc666