

ap7e-kimmel

[Home](#) [Exec](#) [Configure](#)

----- show version -----

```
Cisco IOS Software, C1140 Software (C1140-K9W7-M), Version 12.4(21a)JY, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2010 by Cisco Systems, Inc.
Compiled Wed 28-Apr-10 10:20 by prod_rel_team
```

```
ROM: Bootstrap program is C1140 boot loader
BOOTLDR: C1140 Boot Loader (C1140-BOOT-M) Version 12.4(18a)JA3, RELEASE SOFTWARE (fc1)
ap7e-kimmel uptime is 6 days, 1 hour, 40 minutes
System returned to ROM by reload
System restarted at 09:17:54 EDT Fri Oct 8 2010
System image file is "flash:/c1140-k9w7-mx.124-21a.JY/c1140-k9w7-mx.124-21a.JY"
```

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at:
<http://www.cisco.com/wlc/export/crypto/tool/stgrg.html>

If you require further assistance please contact us by sending email to export@cisco.com.

```
cisco AIR-LAP1142N-A-K9      (PowerPC405ex) processor (revision B0) with 98294K/32768K bytes of memory.
Processor board ID FTX1418S209
PowerPC405ex CPU at 586Mhz, revision number 0x147E
Last reset from reload
1 Gigabit Ethernet interface
2 802.11 Radio(s)
```

```
32K bytes of flash-simulated non-volatile configuration memory.
Base ethernet MAC Address: 68:EF:BD:F3:FA:F8
Part Number           : 73-11451-08
PCA Assembly Number  : 800-30554-06
PCA Revision Number   : A0
PCB Serial Number     : FOC14132U0A
Top Assembly Part Number : 800-31273-04
Top Assembly Serial Number : FTX1418S209
Top Revision Number    : A0
Product/Model Number   : AIR-LAP1142N-A-K9
```

Configuration register is 0xF

----- show running-config -----

Building configuration...

```
SSID CONFIG WARNING: [NYU-ROAM2]: If radio clients are using EAP-FAST, AUTH OPEN with EAP should also be configured.
SSID CONFIG WARNING: [survey1]: If radio clients are using EAP-FAST, AUTH OPEN with EAP should also be configured.
Current configuration : 9913 bytes
!
version 12.4
no service pad
service timestamps debug datetime msec
service timestamps log datetime msec localtime show-timezone
service password-encryption
!
hostname ap7e-kimmel
!
enable secret 5 <removed>
!
aaa new-model
!
aaa group server radius rad_eap
```

```
server 128.122.253.69 auth-port 1645 acct-port 1646
server 128.122.253.39 auth-port 1645 acct-port 1646
!
aaa group server radius rad_mac
!
aaa group server radius rad_acct
  server 128.122.253.69 auth-port 1645 acct-port 1646
  server 128.122.253.39 auth-port 1645 acct-port 1646
!
aaa group server radius rad_admin
!
aaa group server tacacs+ tac_admin
!
aaa group server radius rad_pmip
!
aaa group server radius dummy
!
aaa authentication login default local
aaa authentication login eap_methods group rad_eap
aaa authentication login mac_methods local
aaa authorization exec default local
aaa accounting network acct_methods start-stop group rad_acct
!
aaa session-id common
clock timezone EST -5
clock summer-time EDT recurring
ip domain name wireless.net.nyu.edu
!
!
dot11 syslog
dot11 activity-timeout client default 180
!
dot11 ssid NYU-ROAM2
  vlan 1235
    authentication network-eap eap_methods
    mbssid guest-mode dtim-period 2
!
dot11 ssid NYU-ROAM3
  vlan 1233
    authentication open
    mbssid guest-mode dtim-period 2
!
dot11 ssid nyu
  vlan 1231
    authentication open eap eap_methods
    authentication key-management wpa
    mbssid guest-mode dtim-period 2
!
dot11 ssid nyuguest
  vlan 1232
    authentication open
    mbssid guest-mode dtim-period 2
!
dot11 ssid nyupda
  vlan 1234
    authentication open
    mbssid guest-mode dtim-period 2
!
dot11 ssid survey1
  vlan 1236
    authentication network-eap eap_methods
!
dot11 network-map
dot11 adjacent-ap age-timeout 1
!
!
username manager privilege 15 password 7 <removed>
!
!
bridge irb
!
!
interface Dot11Radio0
  no ip address
  no ip route-cache
!
  encryption vlan 1231 mode ciphers aes-ccm tkip
!
  encryption vlan 1235 mode wep mandatory
!
  encryption vlan 1236 mode wep mandatory mic key-hash
!
  broadcast-key vlan 1236 change 900
!
```

```
!
ssid NYU-ROAM2
!
ssid NYU-ROAM3
!
ssid nyu
!
ssid nyuguest
!
ssid nyupda
!
ssid survey1
!
antenna gain 0
mbssid
speed basic-11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14
power local 11
power client 11
channel 2437
station-role root fallback shutdown
rts threshold 2312
bridge-group 1
bridge-group 1 subscriber-loop-control
bridge-group 1 block-unknown-source
no bridge-group 1 source-learning
no bridge-group 1 unicast-flooding
bridge-group 1 spanning-disabled
!
interface Dot11Radio0.1231
encapsulation dot1Q 1231
no ip route-cache
bridge-group 10
bridge-group 10 subscriber-loop-control
bridge-group 10 port-protected
bridge-group 10 block-unknown-source
no bridge-group 10 source-learning
no bridge-group 10 unicast-flooding
bridge-group 10 spanning-disabled
!
interface Dot11Radio0.1232
encapsulation dot1Q 1232
no ip route-cache
bridge-group 20
bridge-group 20 subscriber-loop-control
bridge-group 20 port-protected
bridge-group 20 block-unknown-source
no bridge-group 20 source-learning
no bridge-group 20 unicast-flooding
bridge-group 20 spanning-disabled
!
interface Dot11Radio0.1233
encapsulation dot1Q 1233
no ip route-cache
bridge-group 30
bridge-group 30 subscriber-loop-control
bridge-group 30 port-protected
bridge-group 30 block-unknown-source
no bridge-group 30 source-learning
no bridge-group 30 unicast-flooding
bridge-group 30 spanning-disabled
!
interface Dot11Radio0.1234
encapsulation dot1Q 1234
no ip route-cache
bridge-group 40
bridge-group 40 subscriber-loop-control
bridge-group 40 port-protected
bridge-group 40 block-unknown-source
no bridge-group 40 source-learning
no bridge-group 40 unicast-flooding
bridge-group 40 spanning-disabled
!
interface Dot11Radio0.1235
encapsulation dot1Q 1235
no ip route-cache
bridge-group 50
bridge-group 50 subscriber-loop-control
bridge-group 50 port-protected
bridge-group 50 block-unknown-source
no bridge-group 50 source-learning
no bridge-group 50 unicast-flooding
bridge-group 50 spanning-disabled
!
interface Dot11Radio0.1236
```

```
encapsulation dot1Q 1236
no ip route-cache
bridge-group 60
bridge-group 60 subscriber-loop-control
bridge-group 60 port-protected
bridge-group 60 block-unknown-source
no bridge-group 60 source-learning
no bridge-group 60 unicast-flooding
bridge-group 60 spanning-disabled
!
interface Dot11Radio1
no ip address
no ip route-cache
!
encryption vlan 1231 mode ciphers aes-ccm tkip
!
encryption vlan 1235 mode wep mandatory
!
encryption vlan 1236 mode wep mandatory mic key-hash
!
broadcast-key vlan 1236 change 900
!
!
ssid NYU-ROAM2
!
ssid NYU-ROAM3
!
ssid nyu
!
ssid nyuguest
!
ssid nyupda
!
ssid survey1
!
antenna gain 0
dfs band 3 block
mbssid
speed basic-12.0 18.0 basic-24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
power local 11
channel dfs
station-role root fallback shutdown
rts threshold 2312
bridge-group 1
bridge-group 1 block-unknown-source
no bridge-group 1 source-learning
no bridge-group 1 unicast-flooding
bridge-group 1 spanning-disabled
!
interface Dot11Radio1.1231
encapsulation dot1Q 1231
no ip route-cache
bridge-group 10
bridge-group 10 subscriber-loop-control
bridge-group 10 port-protected
bridge-group 10 block-unknown-source
no bridge-group 10 source-learning
no bridge-group 10 unicast-flooding
bridge-group 10 spanning-disabled
!
interface Dot11Radio1.1232
encapsulation dot1Q 1232
no ip route-cache
bridge-group 20
bridge-group 20 subscriber-loop-control
bridge-group 20 port-protected
bridge-group 20 block-unknown-source
no bridge-group 20 source-learning
no bridge-group 20 unicast-flooding
bridge-group 20 spanning-disabled
!
interface Dot11Radio1.1233
encapsulation dot1Q 1233
no ip route-cache
bridge-group 30
bridge-group 30 subscriber-loop-control
bridge-group 30 port-protected
bridge-group 30 block-unknown-source
no bridge-group 30 source-learning
no bridge-group 30 unicast-flooding
bridge-group 30 spanning-disabled
!
interface Dot11Radio1.1234
encapsulation dot1Q 1234
```

```
no ip route-cache
bridge-group 40
bridge-group 40 subscriber-loop-control
bridge-group 40 port-protected
bridge-group 40 block-unknown-source
no bridge-group 40 source-learning
no bridge-group 40 unicast-flooding
bridge-group 40 spanning-disabled
!
interface Dot11Radio1.1235
encapsulation dot1Q 1235
no ip route-cache
bridge-group 50
bridge-group 50 subscriber-loop-control
bridge-group 50 port-protected
bridge-group 50 block-unknown-source
no bridge-group 50 source-learning
no bridge-group 50 unicast-flooding
bridge-group 50 spanning-disabled
!
interface Dot11Radio1.1236
encapsulation dot1Q 1236
no ip route-cache
bridge-group 60
bridge-group 60 subscriber-loop-control
bridge-group 60 port-protected
bridge-group 60 block-unknown-source
no bridge-group 60 source-learning
no bridge-group 60 unicast-flooding
bridge-group 60 spanning-disabled
!
interface GigabitEthernet0
no ip address
no ip route-cache
duplex auto
speed auto
no keepalive
bridge-group 1
no bridge-group 1 source-learning
bridge-group 1 spanning-disabled
!
interface GigabitEthernet0.1230
encapsulation dot1Q 1230
ip address dhcp client-id GigabitEthernet0
no ip route-cache
!
interface GigabitEthernet0.1231
encapsulation dot1Q 1231
no ip route-cache
bridge-group 10
no bridge-group 10 source-learning
bridge-group 10 spanning-disabled
!
interface GigabitEthernet0.1232
encapsulation dot1Q 1232
no ip route-cache
bridge-group 20
no bridge-group 20 source-learning
bridge-group 20 spanning-disabled
!
interface GigabitEthernet0.1233
encapsulation dot1Q 1233
no ip route-cache
bridge-group 30
no bridge-group 30 source-learning
bridge-group 30 spanning-disabled
!
interface GigabitEthernet0.1234
encapsulation dot1Q 1234
no ip route-cache
bridge-group 40
no bridge-group 40 source-learning
bridge-group 40 spanning-disabled
!
interface GigabitEthernet0.1235
encapsulation dot1Q 1235
no ip route-cache
bridge-group 50
no bridge-group 50 source-learning
bridge-group 50 spanning-disabled
!
interface GigabitEthernet0.1236
encapsulation dot1Q 1236
no ip route-cache
```

```

bridge-group 60
no bridge-group 60 source-learning
bridge-group 60 spanning-disabled
!
interface BVI1
  ip address dhcp client-id GigabitEthernet0
  no ip route-cache
!
ip http server
ip http authentication aaa
no ip http secure-server
ip http help-path http://www.cisco.com/warp/public/779/smbiz/prodconfig/help/eag
ip radius source-interface BVI1
logging facility local3
logging 128.122.128.30
snmp-server community <removed> RW
snmp-server community <removed> RO
snmp-server location Kimmel Center, 7th Floor
snmp-server contact noc@nyu.edu
snmp-server chassis-id ap7e-kimmel
snmp-server enable traps snmp authentication linkdown linkup coldstart warmstart
snmp-server enable traps tty
snmp-server enable traps entity
snmp-server enable traps disassociate
snmp-server enable traps deauthenticate
snmp-server enable traps authenticate-fail
snmp-server enable traps dot11-qos
snmp-server enable traps switch-over
snmp-server enable traps rogue-ap
snmp-server enable traps wlan-wep
snmp-server enable traps config
snmp-server enable traps syslog
snmp-server enable traps cpu threshold
snmp-server enable traps aaa_server
snmp-server host 128.122.128.18 <removed>
radius-server attribute 32 include-in-access-req format %h
radius-server host 128.122.253.69 auth-port 1645 acct-port 1646 key 7 <removed>
radius-server host 128.122.253.39 auth-port 1645 acct-port 1646 key 7 <removed>
radius-server vsa send accounting
radius-server vsa send authentication
bridge 1 route ip
!
!
!
line con 0
line vty 5 15
!
sntp server 128.122.253.90
sntp broadcast client
end

```

----- show stacks -----

Minimum process stacks:

Free/Size	Name
4832/6000	soap_flash init
10832/12000	DHCP Autoinstall
11616/12000	Setup
5608/6000	Autoinstall
5564/6000	Clock Update Proc
11532/12000	BootP Resolver
3556/6000	Soap Flash Save Variables
5628/6000	dot11 platform init
8836/12000	Init
5456/6000	RADIUS INITCONFIG
3788/6000	RAC I/F Conf.
4924/6000	TFTP Read Process
8448/12000	Soap Upgrade fetch Config File
2540/3000	Rom Random Update Process
5636/6000	Cascade Sys Init
10244/12000	SSH Process
35028/36000	TCP Command
9468/12000	Virtual Exec
18068/24000	HTTP CP

Interrupt level stacks:

Level	Called	Unused/Size	Name
4	148224220	6380/9000	dot11 radio interrupt
6	92516	8956/9000	NS16550 VECTOR

----- show interfaces -----

BVI1 is up, line protocol is up
Hardware is BVI, address is 68ef.bdf3.faf8 (bia 2893.fe2f.baf0)
Internet address is 172.28.13.98/24
MTU 1500 bytes, BW 54000 Kbit, DLY 5000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation ARPA, loopback not set
ARP type: ARPA, ARP Timeout 04:00:00
Last input never, output never, output hang never
Last clearing of "show interface" counters never
Input queue: 0/75/0/0 (size/max/drops/flushes); Total output drops: 0
5 minute input rate 3000 bits/sec, 4 packets/sec
5 minute output rate 17000 bits/sec, 3 packets/sec
1615697 packets input, 109688818 bytes, 0 no buffer
Received 0 broadcasts, 0 runts, 0 giants, 0 throttles
0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored, 0 abort
111627 packets output, 23536250 bytes, 0 underruns
0 output errors, 0 collisions, 0 interface resets
0 unknown protocol drops
0 output buffer failures, 0 output buffers swapped out

Dot11Radio0 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1., loopback not set
ARP type: ARPA, ARP Timeout 04:00:00
Last input 1d21h, output 00:00:00, output hang never
Last clearing of "show interface" counters never
Input queue: 0/1677/564/0 (size/max/drops/flushes); Total output drops: 13039
Queueing strategy: fifo
Output queue: 0/30 (size/max)
5 minute input rate 0 bits/sec, 0 packets/sec
5 minute output rate 0 bits/sec, 0 packets/sec
7509367 packets input, 950559998 bytes, 0 no buffer
Received 100393 broadcasts, 0 runts, 0 giants, 0 throttles
0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored
0 input packets with dribble condition detected
2255050 packets output, 1280251987 bytes, 0 underruns
6538 output errors, 0 collisions, 12 interface resets
0 unknown protocol drops
0 babbles, 0 late collision, 0 deferred
0 lost carrier, 0 no carrier
0 output buffer failures, 0 output buffers swapped out

Dot11Radio0.1231 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1231.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never

Dot11Radio0.1232 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1232.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never

Dot11Radio0.1233 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1233.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never

Dot11Radio0.1234 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1234.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never

Dot11Radio0.1235 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1235.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never

Dot11Radio0.1236 is reset, line protocol is down
Hardware is 802.11N 2.4GHz Radio, address is 2893.fe2f.baf0 (bia 2893.fe2f.baf0)
MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID 1236.
ARP type: ARPA, ARP Timeout 04:00:00

```
Last clearing of "show interface" counters never
Dot11Radio1 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1., loopback not set
    ARP type: ARPA, ARP Timeout 04:00:00
    Last input 1d19h, output 00:00:00, output hang never
    Last clearing of "show interface" counters never
    Input queue: 0/1677/5/0 (size/max/drops/flushes); Total output drops: 2290467
    Queueing strategy: fifo
    Output queue: 0/30 (size/max)
    5 minute input rate 1000 bits/sec, 1 packets/sec
    5 minute output rate 0 bits/sec, 0 packets/sec
        5780236 packets input, 1300371638 bytes, 0 no buffer
        Received 53508 broadcasts, 0 runts, 0 giants, 0 throttles
        0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored
        0 input packets with dribble condition detected
        9243092 packets output, 2040021515 bytes, 0 underruns
        1814 output errors, 0 collisions, 2 interface resets
        0 unknown protocol drops
        0 babbles, 0 late collision, 0 deferred
        0 lost carrier, 0 no carrier
        0 output buffer failures, 0 output buffers swapped out
Dot11Radio1.1231 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1231.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
Dot11Radio1.1232 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1232.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
Dot11Radio1.1233 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1233.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
Dot11Radio1.1234 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1234.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
Dot11Radio1.1235 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1235.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
Dot11Radio1.1236 is up, line protocol is up
    Hardware is 802.11N 5GHz Radio, address is 2893.fe60.b650 (bia 2893.fe60.b650)
    MTU 1500 bytes, BW 54000 Kbit, DLY 1000 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1236.
    ARP type: ARPA, ARP Timeout 04:00:00
    Last clearing of "show interface" counters never
GigabitEthernet0 is up, line protocol is up
    Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
    MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
        reliability 255/255, txload 1/255, rxload 1/255
    Encapsulation 802.1Q Virtual LAN, Vlan ID  1., loopback not set
    Full-duplex, 1000Mb/s, media type is T
    output flow-control is unsupported, input flow-control is unsupported
    ARP type: ARPA, ARP Timeout 04:00:00
    Last input 00:00:00, output 00:00:00, output hang never
    Last clearing of "show interface" counters never
    Input queue: 61/1677/0/0 (size/max/drops/flushes); Total output drops: 0
    Queueing strategy: fifo
    Output queue: 0/40 (size/max)
    5 minute input rate 35000 bits/sec, 65 packets/sec
    5 minute output rate 17000 bits/sec, 3 packets/sec
        39365511 packets input, 6954503 bytes, 0 no buffer
        Received 8531216 broadcasts, 0 runts, 0 giants, 0 throttles
        0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored
```

```

0 watchdog, 0 multicast, 0 pause input
0 input packets with dribble condition detected
6244643 packets output, 1435874110 bytes, 0 underruns
0 output errors, 0 collisions, 16 interface resets
171 unknown protocol drops
0 babbles, 0 late collision, 0 deferred
0 lost carrier, 0 no carrier, 0 pause output
0 output buffer failures, 0 output buffers swapped out
GigabitEthernet0.1230 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
Internet address is 172.28.13.98/24
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1230.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1231 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1231.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1232 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1232.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1233 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1233.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1234 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1234.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1235 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1235.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
GigabitEthernet0.1236 is up, line protocol is up
Hardware is PowerPC405ex Ethernet, address is 68ef.bdf3.faf8 (bia 68ef.bdf3.faf8)
MTU 1500 bytes, BW 1000000 Kbit, DLY 10 usec,
    reliability 255/255, txload 1/255, rxload 1/255
Encapsulation 802.1Q Virtual LAN, Vlan ID  1236.
ARP type: ARPA, ARP Timeout 04:00:00
Last clearing of "show interface" counters never
----- show controllers -----

```

```

!
interface Dot11Radio0
Radio AIR-AP1140G, Base Address 2893.fe2f.baf0, BBlock version 0.00, Software version 2.10.21
Serial number: FOC14132AVP
Number of supported simultaneous BSSID on Dot11Radio0: 16
Carrier Set: Americas (US) (-A)
Uniform Spreading Required: No
Configured Frequency: 2437 MHz Channel 6
Allowed Frequencies: 2412(1) 2417(2) 2422(3) 2427(4) 2432(5) 2437(6) 2442(7) 2447(8) 2452(9) 2457(10) 2462(11)
Listen Frequencies: 2412(1) 2417(2) 2422(3) 2427(4) 2432(5) 2437(6) 2442(7) 2447(8) 2452(9) 2457(10) 2462(11) 2467(12) 2
Beacon Flags: 1, Interface Flags 82010D, Interface Events 24041
; Beacons are enabled; Probes are enabled
Configured Power: 11 dBm
Active power levels by rate
    1.0 to m6. , 11 dBm
    m7. to m7. , 10 dBm, changed due to regulatory maximum
    m8. to m14. , 11 dBm
    m15. to m15. , 10 dBm, changed due to regulatory maximum
    m0.-4 to m6.-4 , 11 dBm
    m7.-4 to m7.-4 , 10 dBm, changed due to regulatory maximum
    m8.-4 to m14.-4, 11 dBm
    m15.-4 to m15.-4, 10 dBm, changed due to regulatory maximum

```

```

OffChnl Power: 20, Rate 1.0
Allowed Power Levels: -1 2 5 8 11 14 17 20
Allowed Client Power Levels: 2 5 8 11 14 17 20
Receive Antennas : right-a left-b middle-c
Transmit Antennas : right-a left-b, cck single, ofdm single
Antenna: internal, Gain: Allowed 8, Reported 0, Configured 0, In Use 8
Active Rates: basic-11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m
Current Rates: basic-11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12.
Allowed Rates: 1.0 2.0 5.5 6.0 9.0 11.0 12.0 18.0 24.0 36.0 48.0 54.0
All Rates: 1.0 2.0 5.5 11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12.
Default Rates: basic-1.0 basic-2.0 basic-5.5 basic-11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9.
Best Range Rates: basic-1.0 2.0 5.5 11.0 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9.
Best Throughput Rates: basic-1.0 basic-2.0 basic-5.5 basic-11.0 basic-6.0 basic-9.0 basic-12.0 basic-18.0 basic-24.0 ba
Current Voice Rates: basic-5.5 basic-11.0 6.0 12.0 24.0 [disabled until voice packet-discard enabled]
Default Voice Rates: basic-5.5 basic-11.0 6.0 12.0 24.0
Management Rates: basic-11.0 6.0 9.0
Multicast Rates: basic-11.0
Data Rate Sensitivity (rate, SNR dB, Contention dBm)
( 1.0, 10, -93) ( 2.0, 10, -92) ( 5.5, 11, -90) (11.0, 14, -90)
( 6.0, 15, -89) ( 9.0, 16, -88) (12.0, 18, -88) (18.0, 19, -86)
(24.0, 20, -85) (36.0, 24, -81) (48.0, 27, -78) (54.0, 31, -77)
ERP settings: short slot time.
Neighbors in non-erp mode:

Legacy Beamforming: Configured No, Active No
TX A-MPDU Priority: 0x01
HT protection: HT mixed mode.
Neighbors with non-HT members:

Number of MFP Indices: 10
RFID Tag Detection: Disabled
Multicast Address filtered:
Packet type filtered:
00 0C rm_scn
Probe limit: active off, filter on, count 0, time 0
Assoc limit: active off, count 0, time 0
Radio Management (RM) Configuration: Regular AP, Mode 1, Disabled

MCST RSCs: [0]0x0 [1]0x0 [2]0x0 [3]0x0 [4]0x0
TKIP Cum Stats: STA MIC-L-Errs MIC-R-Errs Replay C-Measure
          0000.0000.0000 00000000 00000000 00000000
AES-CCMP Cum Stats: 00000041 replays discarded
QBSS Load: 0xFE, Policing Stats: Rx downgrades 0, Tx downgrades 0
Classifier Stats tx_on_up6 0, tx_on_up4 0
Configured Local Access Class Parameters
  Back : cw-min 4 cw-max 10 fixed-slot 7 admission-control Off txop 0
  Best : cw-min 4 cw-max 6 fixed-slot 3 admission-control Off txop 0
  Video : cw-min 3 cw-max 4 fixed-slot 1 admission-control Off txop 3008
  Voice : cw-min 2 cw-max 3 fixed-slot 1 admission-control Off txop 0
Configured Cell Access Class Parameters
  Back : cw-min 4 cw-max 10 fixed-slot 7 admission-control Off txop 0
  Best : cw-min 4 cw-max 10 fixed-slot 3 admission-control Off txop 0
  Video : cw-min 3 cw-max 4 fixed-slot 2 admission-control Off txop 3008
  Voice : cw-min 2 cw-max 3 fixed-slot 2 admission-control Off txop 0
SIP stats sip_udp_rx_pkt 0, sip_tcp_rx_pkt 0,
           downlink classified_pkt 0,
           uplink classified_pkt 0,
           num_processed_SIP_Calls 0
Transmit queues: In Progress 0
----- Active --- In-Progress ----- Counts -----
   Cnt Quo Bas Max Cnt Quo Bas      Sent   Discard   Fail   Retry   Multi
Uplink 0 0 0 0 0 0 0       0 0 0 0 0 0
Voice 0 1 424 1 0 0 97    61377 117 5224 13498 8895
Video 0 0 0 0 0 0 0       0 0 1 0 0 0
Best 1 3 212 3 0 0 48   1277312 564 1313 330094 219819
Mcast 0 0 0 0 0 0 0       0 0 0 0 0 0
Mcast 1 31 5 31 0 0 2    133976 1076 0 0 0 0
Mcast 0 31 5 31 0 0 2    591742 11215 0 0 0 0
Mcast 0 0 0 0 0 0 0     15858 25 0 0 0 0
Mcast 0 0 0 0 0 0 0     13958 41 0 0 0 0
Mcast 0 0 0 0 0 0 0     0 0 0 0 0 0
Back 0 0 0 0 0 0 0     0 0 0 0 0 0
BSSID Flags State Next Held Defer NonDefer Clients Tsf Dtim Txq
  BAF0 0 24 0 0 0 0 0 0 0 0 0 2 0
  BAF1 1 25 5 0 0 1 0 0 1 148 2 1
  BAF2 2 24 5 0 0 0 0 0 1 24 2 2
  BAF3 3 24 0 0 0 0 0 0 0 172 2 3
  BAF4 4 24 0 0 0 0 0 0 0 12 2 4
  BAF5 5 24 0 0 0 0 0 0 0 160 2 5
Driver TX blocks: in use 0, high 0, at reset 0, fail 1 drop 1
---Clients AID VLAN Status Age Tx Mode Enc Key      Rate
0021.e982.fc91 3 1231 10A 960 400 OFF 60 0-0 01B0 604 1-10 10FF0000 06C 030
2ca8.3573.44b8 2 1233 00 160 000 OFF -15 1-0 00B0 000 0-0 10FF0000 00C 030
RxPkts KBytes Dup Dec Mic TxPkts KBytes Retry RSSI SNR

```


TXSM Jammer information:

State: 0
Beacons seen: 0
Time since: 0

Jammer Radio resets: 0

```
XSM Beacon information:  
Monitoring State: 0  
Flags: 80000000  
Beacons seen: 19975291  
Time since: 1542918852  
Max Time w/o beacons: 3866108956  
Beacon stuck count: 10  
No MBSSID: 0  
No SSIDs: 0  
No beacon IEs: 0  
No beacons in use: 0  
CAPWAP state down: 10  
Counts > 120 6  
Counts > 90 0  
Counts > 60 1  
Counts > 30 1  
Counts > 15 8  
Counts > 10 7  
Counts > 5 19
```

Radio PCI resets:5

Radio commands - total:1581038 delayed:0 timeouts:0 time high 00000000 low 00000000 usecs 00000000

Log buf magic 0(FA1A1AFA) 1(00000000) Active(0) 07000E58 Last(1) 070010C4

Last host cmd 0C fw cmd 0C TS DFB1601B MAGIC FA1A1AFA

CMD (04)	- TS	HOST	00000000	FW	0005189E	seq	0
CMD(05)	- TS	HOST	00000000	FW	000518BB	seq	0
CMD(06)	- TS	HOST	00000000	FW	00051102	seq	0
CMD(07)	- TS	HOST	00000000	FW	000518D3	seq	0
CMD(08)	- TS	HOST	00000000	FW	000527C0	seq	0
CMD(09)	- TS	HOST	00000000	FW	0005231A	seq	0
CMD(0A)	- TS	HOST	00000000	FW	00058CA9	seq	0
CMD(0B)	- TS	HOST	00000000	FW	0005C19C	seq	0
CMD(0C)	- TS	HOST	00000000	FW	00052864	seq	0
CMD(0D)	- TS	HOST	00000000	FW	0005183B	seq	0
CMD(0F)	- TS	HOST	00000000	FW	4BC87D87	seq	0
CMD(10)	- TS	HOST	00000000	FW	00051886	seq	0
CMD(12)	- TS	HOST	00000000	FW	00051350	seq	0
CMD(14)	- TS	HOST	00000000	FW	00050F89	seq	0
CMD(15)	- TS	HOST	00000000	FW	0005A3B5	seq	0
CMD(16)	- TS	HOST	DFA43720	FW	4FB6C46F	seq	0
CMD(17)	- TS	HOST	00000000	FW	4F79BBF0	seq	0
CMD(1E)	- TS	HOST	00000000	FW	00051121	seq	0
CMD(20)	- TS	HOST	00000000	FW	433286AF	seq	0
CMD(21)	- TS	HOST	00000000	FW	43325C72	seq	0
CMD(27)	- TS	HOST	00000000	FW	0005BA68	seq	0
-Channel Range-	-----	Rates	-----	Max	Power		
1 to	1 by 1	1.0	to 11.0	19	19		

24.0	to 24.0	14	14
36.0	to 48.0	13	13
54.0	to 54.0	11	11
6.0-bf	to 18.0-b	16	16
24.0-b	to 24.0-b	14	14
36.0-b	to 48.0-b	13	13
54.0-b	to 54.0-b	11	11
m0.	to m3.	14	14
m4.	to m5.	13	13
m6.	to m6.	11	11
m7.	to m7.	10	10
m8.	to m11.	14	14
m12.	to m13.	13	13
m14.	to m14.	11	11
m15.	to m15.	10	10
m0.-4	to m6.-4	11	11
m7.-4	to m7.-4	10	10
m8.-4	to m14.-4	11	11
m15.-4	to m15.-4	10	10
2 to 2 by 1	1.0 to 11.0	20	20
	6.0 to 9.0	17	17
	12.0 to 18.0	16	16
	24.0 to 24.0	14	14
	36.0 to 48.0	13	13
	54.0 to 54.0	11	11
	6.0-bf to 9.0-bf	17	17
	12.0-b to 18.0-b	16	16
	24.0-b to 24.0-b	14	14
	36.0-b to 48.0-b	13	13
	54.0-b to 54.0-b	11	11
	m0. to m2.	16	16
	m3. to m3.	14	14
	m4. to m5.	13	13
	m6. to m6.	11	11
	m7. to m7.	10	10
	m8. to m10.	16	16
	m11. to m11.	14	14
	m12. to m13.	13	13
	m14. to m14.	11	11
	m15. to m15.	10	10
	m0.-4 to m5.-4	13	13
	m6.-4 to m6.-4	11	11
	m7.-4 to m7.-4	10	10
	m8.-4 to m13.-4	13	13
	m14.-4 to m14.-4	11	11
	m15.-4 to m15.-4	10	10
3 to 3 by 1	1.0 to 11.0	20	20
	-1 2 5 8 11 14 17 20		
	6.0 to 9.0	17	17
	12.0 to 18.0	16	16
	24.0 to 24.0	14	14
	36.0 to 48.0	13	13
	54.0 to 54.0	11	11
	6.0-bf to 9.0-bf	17	17
	12.0-b to 18.0-b	16	16
	24.0-b to 24.0-b	14	14
	36.0-b to 48.0-b	13	13
	54.0-b to 54.0-b	11	11
	m0. to m0.	17	17
	m1. to m2.	16	16
	m3. to m3.	14	14
	m4. to m5.	13	13
	m6. to m6.	11	11
	m7. to m7.	10	10
	m8. to m8.	17	17
	m9. to m10.	16	16
	m11. to m11.	14	14
	m12. to m13.	13	13
	m14. to m14.	11	11
	m15. to m15.	10	10
	m0.-4 to m3.-4	14	14
	m4.-4 to m5.-4	13	13
	m6.-4 to m6.-4	11	11
	m7.-4 to m7.-4	10	10
	m8.-4 to m11.-4	14	14
	m12.-4 to m13.-4	13	13
	m14.-4 to m14.-4	11	11
	m15.-4 to m15.-4	10	10
4 to 4 by 1	1.0 to 11.0	20	20
	-1 2 5 8 11 14 17 20		
	6.0 to 9.0	17	17
	12.0 to 18.0	16	16
	24.0 to 24.0	14	14
	36.0 to 48.0	13	13
	54.0 to 54.0	11	11
	6.0-bf to 9.0-bf	17	17

36.0	to 48.0	13	13
54.0	to 54.0	11	11
6.0-bf	to 9.0-bf	17	17
12.0-b	to 18.0-b	16	16
24.0-b	to 24.0-b	14	14
36.0-b	to 48.0-b	13	13
54.0-b	to 54.0-b	11	11
m0.	to m0.	17	17
m1.	to m2.	16	16
m3.	to m3.	14	14
m4.	to m5.	13	13
m6.	to m6.	11	11
m7.	to m7.	10	10
m8.	to m8.	17	17
m9.	to m10.	16	16
m11.	to m11.	14	14
m12.	to m13.	13	13
m14.	to m14.	11	11
m15.	to m15.	10	10
m0.-4	to m6.-4	11	11
m7.-4	to m7.-4	10	10
m8.-4	to m14.-4	11	11
m15.-4	to m15.-4	10	10
8 to 8 by 1	1.0 to 11.0	20	20
	6.0 to 9.0	17	17
	12.0 to 18.0	16	16
	24.0 to 24.0	14	14
	36.0 to 48.0	13	13
	54.0 to 54.0	11	11
	6.0-bf to 9.0-bf	17	17
	12.0-b to 18.0-b	16	16
	24.0-b to 24.0-b	14	14
	36.0-b to 48.0-b	13	13
	54.0-b to 54.0-b	11	11
	m0. to m0.	17	17
	m1. to m2.	16	16
	m3. to m3.	14	14
	m4. to m5.	13	13
	m6. to m6.	11	11
	m7. to m7.	10	10
	m8. to m8.	17	17
	m9. to m10.	16	16
	m11. to m11.	14	14
	m12. to m13.	13	13
	m14. to m14.	11	11
	m15. to m15.	10	10
	m0.-4 to m3.-4	14	14
	m4.-4 to m5.-4	13	13
	m6.-4 to m6.-4	11	11
	m7.-4 to m7.-4	10	10
	m8.-4 to m11.-4	14	14
	m12.-4 to m13.-4	13	13
	m14.-4 to m14.-4	11	11
	m15.-4 to m15.-4	10	10
9 to 9 by 1	1.0 to 11.0	20	20
	6.0 to 9.0	17	17
	12.0 to 18.0	16	16
	24.0 to 48.0	13	13
	54.0 to 54.0	11	11
	6.0-bf to 9.0-bf	17	17
	12.0-b to 18.0-b	16	16
	24.0-b to 48.0-b	13	13
	54.0-b to 54.0-b	11	11
	m0. to m2.	16	16
	m3. to m3.	14	14
	m4. to m5.	13	13
	m6. to m6.	11	11
	m7. to m7.	10	10
	m8. to m10.	16	16
	m11. to m11.	14	14
	m12. to m13.	13	13
	m14. to m14.	11	11
	m15. to m15.	10	10
	m0.-4 to m3.-4	14	14
	m4.-4 to m5.-4	13	13
	m6.-4 to m6.-4	11	11
	m7.-4 to m7.-4	10	10
	m8.-4 to m11.-4	14	14
	m12.-4 to m13.-4	13	13
	m14.-4 to m14.-4	11	11
	m15.-4 to m15.-4	10	10
10 to 10 by 1	1.0 to 11.0	19	19
	6.0 to 18.0	16	16
	24.0 to 24.0	14	14

36.0	to 48.0	13	13	
54.0	to 54.0	11	11	
6.0-bf	to 18.0-b	16	16	
24.0-b	to 24.0-b	14	14	
36.0-b	to 48.0-b	13	13	
54.0-b	to 54.0-b	11	11	
m0.	to m3.	14	14	
m4.	to m5.	13	13	
m6.	to m6.	11	11	
m7.	to m7.	10	10	
m8.	to m11.	14	14	
m12.	to m13.	13	13	
m14.	to m14.	11	11	
m15.	to m15.	10	10	
m0.-4	to m5.-4	13	13	
m6.-4	to m6.-4	11	11	
m7.-4	to m7.-4	10	10	
m8.-4	to m13.-4	13	13	
m14.-4	to m14.-4	11	11	
m15.-4	to m15.-4	10	10	
11 to 11 by 1	1.0	to 11.0	18	18
	6.0	to 24.0	14	14
	36.0	to 48.0	13	13
	54.0	to 54.0	11	11
	6.0-bf	to 24.0-b	14	14
	36.0-b	to 48.0-b	13	13
	54.0-b	to m6.	11	11
	m7.	to m7.	10	10
	m8.	to m14.	11	11
	m15.	to m15.	10	10
	m0.-4	to m6.-4	11	11
	m7.-4	to m7.-4	10	10
	m8.-4	to m14.-4	11	11
	m15.-4	to m15.-4	10	10

DOT11 Statistics (Cumulative Total/Last 5 Seconds):

RECEIVER	TRANSMITTER
Host Rx K Bytes:	1310371 / 0
Unicasts Rx:	1514117 / 0
Unicasts to host:	1514117 / 0
Broadcasts Rx:	48434831 / 0
Beacons Rx:	47441558 / 0
Broadcasts to host:	48434831 / 0
Multicasts Rx:	0 / 0
Multicasts to host:	0 / 0
Mgmt Packets Rx:	1028610 / 0
RTS received:	1415436 / 0
Duplicate frames:	1 / 0
CRC errors:	16975724 / 0
WEP errors:	539 / 0
Buffer full:	0 / 0
Host buffer full:	0 / 0
Header CRC errors:	0 / 0
Invalid header:	0 / 0
Length invalid:	0 / 0
Incomplete fragments:	514 / 0
Rx Concats:	0 / 0
Host Tx K Bytes:	1246025 / 0
Unicasts Tx:	2643897 / 0
Unicasts by host:	1092165 / 0
Broadcasts Tx:	20400294 / 0
Beacons Tx:	19975291 / 0
Broadcasts by host:	425003 / 0
Multicasts Tx:	576994 / 0
Multicasts by host:	576994 / 0
Mgmt Packets Tx:	1913016 / 0
RTS transmitted:	4074 / 0
CTS not received:	1596 / 0
Unicast Fragments Tx:	3645955 / 0
Retries:	1190997 / 0
Packets one retry:	114878 / 0
Packets > 1 retry:	228714 / 0
Protocol defers:	0 / 0
Energy detect defers:	0 / 0
Jammer detected:	0 / 0
Packets aged:	0 / 0
Tx Concats:	0 / 0

RATE 11.0

Rx Packets:	36465648 / 0	Tx Packets:	50023 / 0
Rx Bytes:	2347439777 / 0	Tx Bytes:	26655786 / 0
RTS Retries:	0 / 0	Data Retries:	21119 / 0

RATE 6.0

Rx Packets:	92500 / 0	Tx Packets:	58540 / 0
Rx Bytes:	2802502 / 0	Tx Bytes:	45887535 / 0
RTS Retries:	0 / 0	Data Retries:	461291 / 0

RATE 9.0

Rx Packets:	874 / 0	Tx Packets:	13551 / 0
Rx Bytes:	130342 / 0	Tx Bytes:	9676272 / 0
RTS Retries:	0 / 0	Data Retries:	8562 / 0

RATE 12.0

Rx Packets:	36828 / 0	Tx Packets:	34640 / 0
Rx Bytes:	919830 / 0	Tx Bytes:	32205864 / 0
RTS Retries:	0 / 0	Data Retries:	96217 / 0

RATE 18.0

Rx Packets:	28775 / 0	Tx Packets:	54653 / 0
Rx Bytes:	1838725 / 0	Tx Bytes:	64629131 / 0
RTS Retries:	0 / 0	Data Retries:	35094 / 0

RATE 24.0

Rx Packets:	30812 / 0	Tx Packets:	36533 / 0
-------------	-----------	-------------	-----------

Rx Bytes:	1927784 / 0	Tx Bytes:	41732259 / 0
RTS Retries:	0 / 0	Data Retries:	21464 / 0
RATE 36.0			
Rx Packets:	34351 / 0	Tx Packets:	42294 / 0
Rx Bytes:	2874651 / 0	Tx Bytes:	51189515 / 0
RTS Retries:	0 / 0	Data Retries:	30346 / 0
RATE 48.0			
Rx Packets:	38930 / 0	Tx Packets:	38079 / 0
Rx Bytes:	3184485 / 0	Tx Bytes:	29067015 / 0
RTS Retries:	0 / 0	Data Retries:	6284 / 0
RATE 54.0			
Rx Packets:	261364 / 0	Tx Packets:	391773 / 0
Rx Bytes:	45299797 / 0	Tx Bytes:	403577260 / 0
RTS Retries:	0 / 0	Data Retries:	25152 / 0
RATE m0.			
Rx Packets:	219947 / 0	Tx Packets:	9748 / 0
Rx Bytes:	47099851 / 0	Tx Bytes:	8106659 / 0
RTS Retries:	0 / 0	Data Retries:	50683 / 0
RATE m1.			
Rx Packets:	73889 / 0	Tx Packets:	28623 / 0
Rx Bytes:	6058488 / 0	Tx Bytes:	24889838 / 0
RTS Retries:	0 / 0	Data Retries:	36852 / 0
RATE m2.			
Rx Packets:	75977 / 0	Tx Packets:	46674 / 0
Rx Bytes:	6199752 / 0	Tx Bytes:	45510996 / 0
RTS Retries:	0 / 0	Data Retries:	67247 / 0
RATE m3.			
Rx Packets:	66826 / 0	Tx Packets:	48998 / 0
Rx Bytes:	4929356 / 0	Tx Bytes:	47106321 / 0
RTS Retries:	0 / 0	Data Retries:	81714 / 0
RATE m4.			
Rx Packets:	73543 / 0	Tx Packets:	32751 / 0
Rx Bytes:	4975457 / 0	Tx Bytes:	41839306 / 0
RTS Retries:	0 / 0	Data Retries:	58298 / 0
RATE m5.			
Rx Packets:	36138 / 0	Tx Packets:	45496 / 0
Rx Bytes:	2366752 / 0	Tx Bytes:	60589890 / 0
RTS Retries:	0 / 0	Data Retries:	70285 / 0
RATE m6.			
Rx Packets:	28845 / 0	Tx Packets:	18633 / 0
Rx Bytes:	1874771 / 0	Tx Bytes:	18774132 / 0
RTS Retries:	0 / 0	Data Retries:	13756 / 0
RATE m7.			
Rx Packets:	79380 / 0	Tx Packets:	27475 / 0
Rx Bytes:	7137903 / 0	Tx Bytes:	18485281 / 0
RTS Retries:	0 / 0	Data Retries:	17140 / 0
RATE m8.			
Rx Packets:	15954 / 0	Tx Packets:	10818 / 0
Rx Bytes:	5725236 / 0	Tx Bytes:	6558224 / 0
RTS Retries:	0 / 0	Data Retries:	13587 / 0
RATE m9.			
Rx Packets:	17340 / 0	Tx Packets:	31502 / 0
Rx Bytes:	1695587 / 0	Tx Bytes:	23034041 / 0
RTS Retries:	0 / 0	Data Retries:	43583 / 0
RATE m10.			
Rx Packets:	20067 / 0	Tx Packets:	6111 / 0
Rx Bytes:	1442150 / 0	Tx Bytes:	4293983 / 0
RTS Retries:	0 / 0	Data Retries:	8841 / 0
RATE m11.			
Rx Packets:	23614 / 0	Tx Packets:	1494 / 0
Rx Bytes:	1529575 / 0	Tx Bytes:	704052 / 0
RTS Retries:	0 / 0	Data Retries:	1494 / 0
RATE m12.			
Rx Packets:	7560 / 0	Tx Packets:	2072 / 0
Rx Bytes:	638934 / 0	Tx Bytes:	1349849 / 0
RTS Retries:	0 / 0	Data Retries:	1097 / 0
RATE m13.			

Rx Packets:	4917 / 0	Tx Packets:	9112 / 0
Rx Bytes:	1084128 / 0	Tx Bytes:	5936311 / 0
RTS Retries:	0 / 0	Data Retries:	2139 / 0
 RATE m14.			
Rx Packets:	11162 / 0	Tx Packets:	20062 / 0
Rx Bytes:	2240899 / 0	Tx Bytes:	15095670 / 0
RTS Retries:	0 / 0	Data Retries:	5463 / 0
 RATE m15.			
Rx Packets:	30998 / 0	Tx Packets:	25880 / 0
Rx Bytes:	5806870 / 0	Tx Bytes:	21694824 / 0
RTS Retries:	0 / 0	Data Retries:	13289 / 0

Last radio reset code: 06
 Radio resets - total:5 retries:0 failed:0
 Code/Count: 06/00005
 Log Buffer:

```
!
interface Dot11Radio1
Radio AIR-AP1140A, Base Address 2893.fe60.b650, BBlock version 0.00, Software version 2.10.21
Serial number: FOC14132AVP
Number of supported simultaneous BSSID on Dot11Radio1: 16
Carrier Set: Americas (OFDM) (US) (-A)
Uniform Spreading Required: Yes
Configured Frequency: 5240 MHz Channel 48
Allowed Frequencies: 5180(36) 5200(40) 5220(44) 5240(48) *5260(52) *5280(56) *5300(60) *5320(64) *5500(100) *5520(104) *
* = May only be selected by Dynamic Frequency Selection (DFS)
Listen Frequencies: 5180(36) 5200(40) 5220(44) 5240(48) 5260(52) 5280(56) 5300(60) 5320(64) 5500(100) 5520(104) 5540(108

DFS Blocked Frequencies: none
Beacon Flags: 0, Interface Flags 20105, Interface Events 81A0
; Beacons are enabled; Probes are enabled
Configured Power: 11 dBm
Active power levels by rate
  6.0 to m6. , 11 dBm
  m7. to m7. , 10 dBm, changed due to regulatory maximum
  m8. to m14. , 11 dBm
  m15. to m15. , 10 dBm, changed due to regulatory maximum
  m0.-4 to m6.-4 , 11 dBm
  m7.-4 to m7.-4 , 10 dBm, changed due to regulatory maximum
  m8.-4 to m14.-4, 11 dBm
  m15.-4 to m15.-4, 10 dBm, changed due to regulatory maximum
OffChnl Power: 14, Rate 6.0
Allowed Power Levels: -1 2 5 8 11 14
Allowed Client Power Levels: 2 5 8 11 14
Receive Antennas : right-a left-b middle-c
Transmit Antennas : right-a left-b, ofdm single
Antenna: internal, Gain: Allowed 6, Reported 0, Configured 0, In Use 6
Active Rates: basic-12.0 18.0 basic-24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14
Current Rates: basic-12.0 18.0 basic-24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14
Allowed Rates: 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0
All Rates: 6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Default Rates: basic-6.0 9.0 basic-12.0 18.0 basic-24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Best Range Rates: basic-6.0 9.0 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Best Throughput Rates: basic-6.0 basic-9.0 basic-12.0 basic-18.0 basic-24.0 basic-36.0 basic-48.0 basic-54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Current Voice Rates: basic-6.0 basic-12.0 basic-24.0 [disabled until voice packet-discard enabled]
Default Voice Rates: basic-6.0 basic-12.0 basic-24.0
Management Rates: basic-12.0
Multicast Rates: basic-12.0 basic-24.0
Data Rate Sensitivity (rate, SNR dB, Contention dBm)
( 6.0, 15, -89) ( 9.0, 16, -88) (12.0, 18, -88) (18.0, 19, -86)
(24.0, 20, -85) (36.0, 24, -81) (48.0, 27, -78) (54.0, 31, -77)
Legacy Beamforming: Configured No, Active No
TX A-MPDU Priority: 0x01
HT protection: HT mixed mode, non-HT neighbor present.
Neighbors with non-HT members:
  9c4e.20f4.2e10 9c4e.20f4.2e15 9c4e.20f4.2c50 9c4e.20f4.2c55 9c4e.2085.e475 9c4e.2085.e470 2893.fe67.3a30 2893.fe67.3a35
Number of MFP Indices: 10
RFID Tag Detection: Disabled
Multicast Address filtered:
Packet type filtered:
  00 OC rm_scn
Probe limit: active off, filter on, count 0, time 0
Assoc limit: active off, count 0, time 0
Radio Management (RM) Configuration: Regular AP, Mode 1, Disabled

MCST RSCs: [0]0x0 [1]0x0 [2]0x0 [3]0x0 [4]0x0
TKIP Cum Stats: STA MIC-L-Errs MIC-R-Errs Replay C-Measure
  0000.0000.0000 00000000 00000000 00000000
AES-CCMP Cum Stats: 00000000 replays discarded
QBSS Load: 0x9, Policing Stats: Rx downgrades 0, Tx downgrades 0
```

```

Classifier Stats tx_on_up6 0, tx_on_up4 0
Configured Local Access Class Parameters
  Back      : cw-min 4 cw-max 10 fixed-slot 7 admission-control Off txop 0
  Best     : cw-min 4 cw-max 6 fixed-slot 3 admission-control Off txop 0
  Video    : cw-min 3 cw-max 4 fixed-slot 1 admission-control Off txop 3008
  Voice    : cw-min 2 cw-max 3 fixed-slot 1 admission-control Off txop 0
Configured Cell Access Class Parameters
  Back      : cw-min 4 cw-max 10 fixed-slot 7 admission-control Off txop 0
  Best     : cw-min 4 cw-max 10 fixed-slot 3 admission-control Off txop 0
  Video    : cw-min 3 cw-max 4 fixed-slot 2 admission-control Off txop 3008
  Voice    : cw-min 2 cw-max 3 fixed-slot 2 admission-control Off txop 0
SIP stats sip_udp_rx_pkt 0, sip_tcp_rx_pkt 0,
          downlink classified_pkt 0,
          uplink classified_pkt 0,
          num_processed_SIP_Calls 0
Transmit queues: In Progress 0
  ---- Active --- In-Progress ----- Counts -----
    Cnt Quo Bas Max Cnt Quo Bas   Sent Discard Fail Retry Multi
Uplink 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Voice 0 9 424 9 0 9 97 14399 200938 1560 655 353
Video 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Best 30 111 212 111 0 111 48 8385605 2083439 254 1094447 431781
Mcast 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Mcast 0 0 0 0 0 0 0 32472 37 0 0 0 0 0 0 0
Mcast 20 29 5 29 0 17 2 728184 6024 0 0 0 0 0 0 0
Mcast 0 0 0 0 0 0 0 1587 1 0 0 0 0 0 0 0
Mcast 20 20 5 20 0 13 2 388 29 0 0 0 0 0 0 0
Mcast 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Back 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
BSSIDS Index Flags State Next Held Defer NonDefer Clients Tsf Dtim Txq
  B650 0 20 0 0 0 0 0 0 0 0 0 0 0 0 2 0
  B651 1 20 0 0 0 0 0 0 0 0 0 148 2 1
  B652 2 10 1 2 20 0 0 0 1 24 2 2
  B653 3 20 0 0 0 0 0 0 0 172 2 3
  B654 4 10 4 1 20 0 0 0 0 12 2 4
  B655 5 20 0 0 0 0 0 0 0 160 2 5
Driver TX blocks: in use 0, high 0, at reset 0, fail 1 drop 1
---Clients AID VLAN Status Age Tx Mode Enc Key Rate
0023.1253.6cb3 2 1231 108 900 000 0FE 60 0-0 3380 200 0-10 00FCFFFF 20F 10F
001f.5bc1.ab55 5 1231 108 900 000 0FE 60 0-0 3180 200 0-10 00FCFFFF 10F 10F
0016.ce81.a2ac 7 1234 108 940 000 OFF 180 0-0 0000 000 0-0 00FC0000 018 018
d8a2.5e91.c115 6 1231 108 900 000 0FE 60 0-0 3380 200 0-10 00FCFFFF 10F 10E
001f.5bbb.f9d0 4 1231 108 940 000 0FE 60 0-0 3180 200 0-10 00FCFFFF 10F 10F
78ca.39b5.d06c 1 1231 108 940 000 0FE 60 0-0 3380 200 0-10 00FCFFFF 10F 10E
041e.64f4.35f3 3 1231 00 160 000 0FE 60 30-0 3380 200 0-10 00FCFFFF 20F 10F
RxPkts KBytes Dup Dec Mic TxPkts KBytes Retry RSSI SNR
0023.1253.6cb3 7503 1258 0 0 0 5787 4993 4954 56 45
001f.5bc1.ab55 13827 2741 0 0 0 17703 17711 5606 56 45
0016.ce81.a2ac 1832 64 5 0 0 50 8 322 80 21
d8a2.5e91.c115 94707 8820 0 0 0 168818 233710 39475 83 19
001f.5bbb.f9d0 99893 13968 0 0 0 162901 197185 182388 69 33
78ca.39b5.d06c 9716 1639 0 0 0 9296 8561 1302 51 50
041e.64f4.35f3 21977 5137 0 0 0 20524 14768 10352 59 42
IP Address RSC
0023.1253.6cb3 172.26.53.73 [1]0x16CC
001f.5bc1.ab55 172.26.55.242 [1]0x3304
0016.ce81.a2ac 172.29.205.17
d8a2.5e91.c115 172.26.53.229 [1]0x16B1E
001f.5bbb.f9d0 172.26.52.236 [1]0x16E1B
78ca.39b5.d06c 172.26.53.191 [1]0x2173
041e.64f4.35f3 172.26.52.227 [1]0xE88
  Block Ack Pri, Rcv Wind Timeout SeqNum Held, Xmt Wind Timeout
041e.64f4.35f3 0 64 0 E940 0 64 0 0, 0 0 0
8021x auth in prog -91 allowed 0
Vlan BSSID Clients PSP Pri HT Encr Key0 Key1 Key2 Key3 SSIDs MFP
  On B650 0 0 0 0 0 0
  1 B650 0 0 0 0 0 0
  1231 B652 2 6 1 0 2 234 x128 nyu 0
  1232 B653 3 0 0 0 4 0 nyuguest 0
  1233 B651 1 0 0 0 4 0 NYU-ROAM3 0
  1234 B654 4 1 0 0 4 0 nyupda 0
  1235 B650 0 0 0 0 4 NYU-ROAM2 0
  1236 B655 5 0 0 0 0 7 surveyl 0
0 0 flags 3 match 7
1 1 flags 3 match 3
2 2 flags 3 match 3
3 3 flags 3 match 3
4 4 flags 3 match 3
5 5 flags 3 match 1
Protocol 2B2
Data Offsets: 118 72, 0 - 46085, 4 - 37274, 8 - 47848, 12 - 36855, 16 - 46544, 20 - 36396, 24 - 48399, 28 - 37027, 32 -
27001330 00000005 0000004C 00000000
00000000 00000000 00000000 FFFFFFFF
00000000 001E0000 00000000 FFFFFFFF 151958223 0

```

Tx	rdy	70017DC	(70016E4 - 7001A04)
16E4:	26003FB8	260006A60	26001168 260050C8 26002B00 26001780 26001030 260067F0
1704:	26004708	26003868	260039A0 260093D0 26009028 26002758 260024E8 260098B0
1724:	26005F68	26003C10	26007B70 26008C80 26002FEO 26002890 26001510 26006F40
1744:	260056E0	26006E08	26002278 260087A0 26001648 26001C60 26000190 26009B20
1764:	26009640	26003D48	26004F90 26000058 26008DB8 260099E8 26009160 26008188
1784:	260002C8	26000400	260035F8 260055A8 26000C88 26006580 26008530 26000538
17A4:	260034C0	26008Z20	26009778 26005818 26005338 26000EF8 26007078 260060A0
17C4:	26007A38	26002620	26000670 26006A60 26001168 260050C8 0 260087A0
17E4:	26001648	26001C60	260000190 26009B20 26009640 26003D48 26004F90 26000058
1804:	260099E8	26009160	260008188 260002C8 26000400 260035F8 260055A8 26000C88
1824:	26006580	26008530	260000538 260034C0 26008Z20 26009778 26005818 260005338
1844:	26000EF8	26007078	260060A0 26007A38 26002620 26000670 26001ED0 26000A18
1864:	26001D98	26007F18	26006DC0 26007900 26007CA8 26004228 26007420 260013D8
1884:	26004360	26008668	26005A88 26004840 26003730 26002EA8 26004BE8 26003E80
18A4:	26002D70	26004498	26004E58 26004D20 26007558 26002140 26008F38 26003FB8
18C4:	26006A60	26001168	260050C8 26002B00 26001780 26001030 260067F0 26004708
18E4:	26003868	260039A0	26002B90 26001510 26006F40 260056E0 26007DE0 26003AD8
1904:	260007A8	260000DC0	26006E08 26002278 260087A0 26001648 26001C60 26000190
1924:	26009B20	26009640	26003D48 26004F90 26000058 26008DB8 260099E8 260009160
1944:	26008188	260002C8	26000400 260035F8 260055A8 26000C88 26004840 26006448
1964:	26008050	26003250	26002008 260008E0 26008B48 26007690 26006928 260072E8
1984:	26006B98	260040F0	26005CF8 26006310 260018B8 26002C38 260088D8 260023B0
19A4:	260012A0	260019F0	26005BC0 26003118 260066B8 26005E30 26005470 260007C78
19C4:	26009298	260061D8	26004978 26005200 26005950 26003388 26002EA8 26004BE8
19E4:	26003E80	26002D70	26004498 26004E58 26004D20 26007558 26002140 260083F8

Tx done 7001A04, current 7001AFC

Rcv rdy 7001D24, current 7001DC8

263FA684	262784E4	2637A25C	263CF6F0	2657DD4C	263BD954	2641D728	26265220
26442788	262A3478	262382D0	2641ACD8	2622C468	26460E20	26487E3C	264E1CDC
264B3864	26338B20	26538698	26333680	2645849C	265CB8D4	262D97E0	262D6110
2648FD2C	264FFAA0	264F79F0	262E7604	263184CC	262CAF28	26575E5C	264CEA18
264C6B28	26436920	265042EC	263EBDCC	26504D80	2643F2A4	263A475C	265268FC
2647F4B8	0	26367A2C	264873A8	262E5648	2644FB18	26388B14	2644E5F0
2648299C	2656FBF0	263375F8	26414310	262DB79C	263EF2B0	2639F2BC	26502DC4
26464D98	2629AAF4	264D7E30	2635F0A8	26454F8B	262225BC	26445C6C	264B233C
26514B60	2637D740	2648B320	2625A8E0	26468D10	26527E24	262FBDF0	264064EC
2620F2F8	26503858	264BF6CC	263DFF64	2627E8EAC	2638958A5	2620B380	26236DA8
262CCEE4	26412354	2645A458	2633C004	263A51F0	264760A0	2628D764	2621BFB4
262B86F8	265CE7D4	26473650	262F8AC8	2645D93C	26226534	26273AD8	262803D4
265CFCFC	2640AEF8	2640104C	263FDB68	263ED2F4	2658B0DC	262E01A8	265964B0
265B9FEE8	264CFFF40	26579DD4	2645994C	2621FB6C	2658F054	263F86C8	264B0E14
264D6908	265C1444	263DB558	265577C4	263D2140	263199F4	263C6D6C	263E29B4
26481474	26214798	2624761C	26373894	264D5E74	26484958	2647EA24	2645F8F8

Rcv done 7001F24, current 7001FCC

```

0 0 0 0 0 0 0
0 0 0 0 0 0 0

TXSM Jammer information:
  State: 0
  Beacons seen: 0
  Time since: 0
  Jammer Radio resets: 0
TXSM Beacon information:
  Monitoring State: 1
  Flags: 00000000
  Beacons seen: 20655103
  Time since: 1488976715
  Max Time w/o beacons: 1066272
  Beacon stuck count: 0
  No MBSSID: 0
  No SSIDs: 0
  No beacon IEs: 0
  No beacons in use: 0
  CAPWAP state down: 0
  Counts > 120 0
  Counts > 90 0
  Counts > 60 0
  Counts > 30 0
  Counts > 15 0
  Counts > 10 0
  Counts > 5 0

Radio PCI resets:0
Radio commands - total:1369761 delayed:0 timeouts:0 time high 00000000 low 00000000 usecs 00000000
Log buf magic 0(FA1A1AFA) 1(00000000) Active(0) 07002158 Last(1) 070023C4
Last host cmd 16 fw cmd 16 TS DFA436D2 MAGIC FA1A1AFA
CMD(04) - TS HOST 00000000 FW 06C2ETD4 seq 0
CMD(06) - TS HOST 00000000 FW 000523A0 seq 0
CMD(07) - TS HOST 00000000 FW 06C2ETF6 seq 0
CMD(08) - TS HOST 00000000 FW BFA43720 seq 0
CMD(09) - TS HOST 00000000 FW BFA43AF7 seq 0
CMD(0A) - TS HOST 00000000 FW 06FA47CC seq 0
CMD(0B) - TS HOST 00000000 FW 06FAE7C6 seq 0
CMD(0C) - TS HOST 00000000 FW 06C2FAC4 seq 0
CMD(0D) - TS HOST 00000000 FW BEF924B9 seq 0
CMD(0F) - TS HOST 00000000 FW BFA77523 seq 0
CMD(12) - TS HOST 00000000 FW 06C2DD8D seq 0
CMD(14) - TS HOST 00000000 FW 000524BC seq 0
CMD(15) - TS HOST 00000000 FW 06FA5EC3 seq 0
CMD(16) - TS HOST DFA436D0 FW BFC2B6B7 seq 0
CMD(17) - TS HOST 00000000 FW BF85AE02 seq 0
CMD(1E) - TS HOST 00000000 FW 0005261D seq 0
CMD(20) - TS HOST 00000000 FW BA47928A seq 0
CMD(21) - TS HOST 00000000 FW BA478F25 seq 0
CMD(27) - TS HOST 00000000 FW 06FA7563 seq 0

-Channel Range-----Rates----- Max Power Allowed
36 to 48 by 4 6.0 to 18.0 14 14 -1 2 5 8 11 14
  24.0 to 36.0 13 13
  48.0 to 48.0 12 12
  54.0 to 54.0 11 11
  6.0-bf to 18.0-b 14 14
  24.0-b to 36.0-b 13 13
  48.0-b to 48.0-b 12 12
  54.0-b to m6. 11 11
  m7. to m7. 10 10
  m8. to m14. 11 11
  m15. to m15. 10 10
  m0.-4 to m3.-4 14 14
  m4.-4 to m4.-4 13 13
  m5.-4 to m5.-4 12 12
  m6.-4 to m6.-4 11 11
  m7.-4 to m7.-4 10 10
  m8.-4 to m11.-4 14 14
  m12.-4 to m12.-4 13 13
  m13.-4 to m13.-4 12 12
  m14.-4 to m14.-4 11 11
  m15.-4 to m15.-4 10 10
52 to 56 by 4 6.0 to 9.0 17 17 -1 2 5 8 11 14 17
  12.0 to 18.0 16 16
  24.0 to 24.0 14 14
  36.0 to 36.0 13 13
  48.0 to 48.0 12 12
  54.0 to 54.0 11 11
  6.0-bf to 9.0-bf 17 17
  12.0-b to 18.0-b 16 16
  24.0-b to 24.0-b 14 14
  36.0-b to 36.0-b 13 13
  48.0-b to 48.0-b 12 12

```

54.0-b	to	54.0-b	11	11	
m0.	to	m0.	17	17	
m1.	to	m2.	16	16	
m3.	to	m3.	14	14	
m4.	to	m4.	13	13	
m5.	to	m5.	12	12	
m6.	to	m6.	11	11	
m7.	to	m7.	10	10	
m8.	to	m8.	17	17	
m9.	to	m10.	16	16	
m11.	to	m11.	14	14	
m12.	to	m12.	13	13	
m13.	to	m13.	12	12	
m14.	to	m14.	11	11	
m15.	to	m15.	10	10	
m0.-4	to	m0.-4	17	17	
m1.-4	to	m2.-4	16	16	
m3.-4	to	m3.-4	14	14	
m4.-4	to	m4.-4	13	13	
m5.-4	to	m5.-4	12	12	
m6.-4	to	m6.-4	11	11	
m7.-4	to	m7.-4	10	10	
m8.-4	to	m8.-4	17	17	
m9.-4	to	m10.-4	16	16	
m11.-4	to	m11.-4	14	14	
m12.-4	to	m12.-4	13	13	
m13.-4	to	m13.-4	12	12	
m14.-4	to	m14.-4	11	11	
m15.-4	to	m15.-4	10	10	
60 to 60 by 4	6.0	to	9.0	17	17
	12.0	to	18.0	16	16
	24.0	to	24.0	14	14
	36.0	to	36.0	13	13
	48.0	to	48.0	12	12
	54.0	to	54.0	11	11
	6.0-bf	to	9.0-bf	17	17
	12.0-b	to	18.0-b	16	16
	24.0-b	to	24.0-b	14	14
	36.0-b	to	36.0-b	13	13
	48.0-b	to	48.0-b	12	12
	54.0-b	to	54.0-b	11	11
	m0.	to	m0.	17	17
	m1.	to	m2.	16	16
	m3.	to	m3.	14	14
	m4.	to	m4.	13	13
	m5.	to	m5.	12	12
	m6.	to	m6.	11	11
	m7.	to	m7.	10	10
	m8.	to	m8.	17	17
	m9.	to	m10.	16	16
	m11.	to	m11.	14	14
	m12.	to	m12.	13	13
	m13.	to	m13.	12	12
	m14.	to	m14.	11	11
	m15.	to	m15.	10	10
	m0.-4	to	m3.-4	14	14
	m4.-4	to	m4.-4	13	13
	m5.-4	to	m5.-4	12	12
	m6.-4	to	m6.-4	11	11
	m7.-4	to	m7.-4	10	10
	m8.-4	to	m11.-4	14	14
	m12.-4	to	m12.-4	13	13
	m13.-4	to	m13.-4	12	12
	m14.-4	to	m14.-4	11	11
	m15.-4	to	m15.-4	10	10
64 to 64 by 4	6.0	to	9.0	17	17
	12.0	to	18.0	16	16
	24.0	to	24.0	14	14
	36.0	to	36.0	13	13
	48.0	to	48.0	12	12
	54.0	to	54.0	11	11
	6.0-bf	to	9.0-bf	17	17
	12.0-b	to	18.0-b	16	16
	24.0-b	to	24.0-b	14	14
	36.0-b	to	36.0-b	13	13
	48.0-b	to	48.0-b	12	12
	54.0-b	to	54.0-b	11	11
	m0.	to	m2.	16	16
	m3.	to	m3.	14	14
	m4.	to	m4.	13	13
	m5.	to	m5.	12	12
	m6.	to	m6.	11	11
	m7.	to	m7.	10	10
	m8.	to	m10.	16	16

m11.	to	m11.	14	14
m12.	to	m12.	13	13
m13.	to	m13.	12	12
m14.	to	m14.	11	11
m15.	to	m15.	10	10
m0.-4	to	m3.-4	14	14
m4.-4	to	m4.-4	13	13
m5.-4	to	m5.-4	12	12
m6.-4	to	m6.-4	11	11
m7.-4	to	m7.-4	10	10
m8.-4	to	m12.-4	14	14
m13.-4	to	m13.-4	12	12
m14.-4	to	m14.-4	11	11
m15.-4	to	m15.-4	10	10
100 to 104 by 4	6.0	to	9.0	17 17 -1 2 5 8 11 14 17
	12.0	to	18.0	16 16
	24.0	to	24.0	14 14
	36.0	to	36.0	13 13
	48.0	to	48.0	12 12
	54.0	to	54.0	11 11
	6.0-bf	to	9.0-bf	17 17
	12.0-b	to	18.0-b	16 16
	24.0-b	to	24.0-b	14 14
	36.0-b	to	36.0-b	13 13
	48.0-b	to	48.0-b	12 12
	54.0-b	to	54.0-b	11 11
	m0.	to	m0.	17 17
	m1.	to	m2.	16 16
	m3.	to	m3.	14 14
	m4.	to	m4.	13 13
	m5.	to	m5.	12 12
	m6.	to	m6.	11 11
	m7.	to	m7.	10 10
	m8.	to	m8.	17 17
	m9.	to	m10.	16 16
	m11.	to	m11.	14 14
	m12.	to	m12.	13 13
	m13.	to	m13.	12 12
	m14.	to	m14.	11 11
	m15.	to	m15.	10 10
	m0.-4	to	m3.-4	14 14
	m4.-4	to	m4.-4	13 13
	m5.-4	to	m5.-4	12 12
	m6.-4	to	m6.-4	11 11
	m7.-4	to	m7.-4	10 10
	m8.-4	to	m11.-4	14 14
	m12.-4	to	m12.-4	13 13
	m13.-4	to	m13.-4	12 12
	m14.-4	to	m14.-4	11 11
	m15.-4	to	m15.-4	10 10
108 to 116 by 4	6.0	to	9.0	17 17 -1 2 5 8 11 14 17
	12.0	to	18.0	16 16
	24.0	to	24.0	14 14
	36.0	to	36.0	13 13
	48.0	to	48.0	12 12
	54.0	to	54.0	11 11
	6.0-bf	to	9.0-bf	17 17
	12.0-b	to	18.0-b	16 16
	24.0-b	to	24.0-b	14 14
	36.0-b	to	36.0-b	13 13
	48.0-b	to	48.0-b	12 12
	54.0-b	to	54.0-b	11 11
	m0.	to	m0.	17 17
	m1.	to	m2.	16 16
	m3.	to	m3.	14 14
	m4.	to	m4.	13 13
	m5.	to	m5.	12 12
	m6.	to	m6.	11 11
	m7.	to	m7.	10 10
	m8.	to	m8.	17 17
	m9.	to	m10.	16 16
	m11.	to	m11.	14 14
	m12.	to	m12.	13 13
	m13.	to	m13.	12 12
	m14.	to	m14.	11 11
	m15.	to	m15.	10 10
	m0.-4	to	m0.-4	17 17
	m1.-4	to	m2.-4	16 16
	m3.-4	to	m3.-4	14 14
	m4.-4	to	m4.-4	13 13
	m5.-4	to	m5.-4	12 12
	m6.-4	to	m6.-4	11 11
	m7.-4	to	m7.-4	10 10
	m8.-4	to	m8.-4	17 17

m9.-4 to m10.-4	16	16
m11.-4 to m11.-4	14	14
m12.-4 to m12.-4	13	13
m13.-4 to m13.-4	12	12
m14.-4 to m14.-4	11	11
m15.-4 to m15.-4	10	10
132 to 140 by 4	6.0 to 9.0	17 17
	12.0 to 18.0	16 16
	24.0 to 24.0	14 14
	36.0 to 36.0	13 13
	48.0 to 48.0	12 12
	54.0 to 54.0	11 11
	6.0-bf to 9.0-bf	17 17
	12.0-b to 18.0-b	16 16
	24.0-b to 24.0-b	14 14
	36.0-b to 36.0-b	13 13
	48.0-b to 48.0-b	12 12
	54.0-b to 54.0-b	11 11
	m0. to m0.	17 17
	m1. to m2.	16 16
	m3. to m3.	14 14
	m4. to m4.	13 13
	m5. to m5.	12 12
	m6. to m6.	11 11
	m7. to m7.	10 10
	m8. to m8.	17 17
	m9. to m10.	16 16
	m11. to m11.	14 14
	m12. to m12.	13 13
	m13. to m13.	12 12
	m14. to m14.	11 11
	m15. to m15.	10 10
	m0.-4 to m0.-4	17 17
	m1.-4 to m2.-4	16 16
	m3.-4 to m3.-4	14 14
	m4.-4 to m4.-4	13 13
	m5.-4 to m5.-4	12 12
	m6.-4 to m6.-4	11 11
	m7.-4 to m7.-4	10 10
	m8.-4 to m8.-4	17 17
	m9.-4 to m10.-4	16 16
	m11.-4 to m11.-4	14 14
	m12.-4 to m12.-4	13 13
	m13.-4 to m13.-4	12 12
	m14.-4 to m14.-4	11 11
	m15.-4 to m15.-4	10 10
149 to 165 by 4	6.0 to 9.0	17 17
	12.0 to 18.0	16 16
	24.0 to 24.0	14 14
	36.0 to 36.0	13 13
	48.0 to 48.0	12 12
	54.0 to 54.0	11 11
	6.0-bf to 9.0-bf	17 17
	12.0-b to 18.0-b	16 16
	24.0-b to 24.0-b	14 14
	36.0-b to 36.0-b	13 13
	48.0-b to 48.0-b	12 12
	54.0-b to 54.0-b	11 11
	m0. to m0.	17 17
	m1. to m2.	16 16
	m3. to m3.	14 14
	m4. to m4.	13 13
	m5. to m5.	12 12
	m6. to m6.	11 11
	m7. to m7.	10 10
	m8. to m8.	17 17
	m9. to m10.	16 16
	m11. to m11.	14 14
	m12. to m12.	13 13
	m13. to m13.	12 12
	m14. to m14.	11 11
	m15. to m15.	10 10
	m0.-4 to m0.-4	17 17
	m1.-4 to m2.-4	16 16
	m3.-4 to m3.-4	14 14
	m4.-4 to m4.-4	13 13
	m5.-4 to m5.-4	12 12
	m6.-4 to m6.-4	11 11
	m7.-4 to m7.-4	10 10
	m8.-4 to m8.-4	17 17
	m9.-4 to m10.-4	16 16
	m11.-4 to m11.-4	14 14
	m12.-4 to m12.-4	13 13
	m13.-4 to m13.-4	12 12

<pre> m14.-4 to m14.-4 11 11 m15.-4 to m15.-4 10 10 </pre>	DOT11 Statistics (Cumulative Total/Last 5 Seconds):		
RECEIVER	TRANSMITTER		
Host Rx K Bytes:	4161755 / 27812	Host Tx K Bytes:	2578348 / 3498
Unicasts Rx:	5540830 / 58	Unicasts Tx:	8535105 / 24
Unicasts to host:	5540830 / 58	Unicasts by host:	8122599 / 24
Broadcasts Rx:	45020968 / 559	Broadcasts Tx:	21068326 / 364
Beacons Rx:	44950355 / 559	Beacons Tx:	20655103 / 287
Broadcasts to host:	45020968 / 559	Broadcasts by host:	413223 / 77
Multicasts Rx:	0 / 0	Multicasts Tx:	449871 / 49
Multicasts to host:	0 / 0	Multicasts by host:	449871 / 49
Mgmt Packets Rx:	103749 / 0	Mgmt Packets Tx:	128233 / 0
RTS received:	0 / 0	RTS transmitted:	3973 / 0
Duplicate frames:	0 / 0	CTS not received:	717 / 0
CRC errors:	1202567 / 46	Unicast Fragments Tx:	9398202 / 148
WEP errors:	181 / 0	Retries:	1956400 / 0
Buffer full:	433 / 0	Packets one retry:	642963 / 0
Host buffer full:	0 / 0	Packets > 1 retry:	379132 / 0
Header CRC errors:	0 / 0	Protocol defers:	0 / 0
Invalid header:	0 / 0	Energy detect defers:	0 / 0
Length invalid:	0 / 0	Jammer detected:	0 / 0
Incomplete fragments:	0 / 0	Packets aged:	0 / 0
Rx Concats:	0 / 0	Tx Concats:	0 / 0

RATE 12.0			
Rx Packets:	44984823 / 563	Tx Packets:	30813 / 0
Rx Bytes:	3062822831 / 93048	Tx Bytes:	22853434 / 0
RTS Retries:	0 / 0	Data Retries:	98062 / 0

RATE 18.0			
Rx Packets:	10682 / 5	Tx Packets:	17020 / 0
Rx Bytes:	932896 / 440	Tx Bytes:	18162567 / 0
RTS Retries:	0 / 0	Data Retries:	3456 / 0

RATE 24.0			
Rx Packets:	7003 / 3	Tx Packets:	12752 / 0
Rx Bytes:	334116 / 321	Tx Bytes:	17043070 / 0
RTS Retries:	0 / 0	Data Retries:	2564 / 0

RATE 36.0			
Rx Packets:	7836 / 0	Tx Packets:	2310 / 0
Rx Bytes:	1458039 / 0	Tx Bytes:	2245576 / 0
RTS Retries:	0 / 0	Data Retries:	2566 / 0

RATE 48.0			
Rx Packets:	57538 / 0	Tx Packets:	4645 / 0
Rx Bytes:	16991905 / 0	Tx Bytes:	4205707 / 0
RTS Retries:	0 / 0	Data Retries:	605 / 0

RATE 54.0			
Rx Packets:	2004632 / 0	Tx Packets:	11833 / 0
Rx Bytes:	762202435 / 0	Tx Bytes:	8955380 / 0
RTS Retries:	0 / 0	Data Retries:	704 / 0

RATE m0.			
Rx Packets:	33190 / 0	Tx Packets:	5338 / 0
Rx Bytes:	6734033 / 0	Tx Bytes:	4945548 / 0
RTS Retries:	0 / 0	Data Retries:	36346 / 0

RATE m1.			
Rx Packets:	22733 / 0	Tx Packets:	16675 / 0
Rx Bytes:	4244220 / 0	Tx Bytes:	17608341 / 0
RTS Retries:	0 / 0	Data Retries:	10301 / 0

RATE m2.			
Rx Packets:	49361 / 0	Tx Packets:	54720 / 0
Rx Bytes:	5786746 / 0	Tx Bytes:	65104205 / 0
RTS Retries:	0 / 0	Data Retries:	29176 / 0

RATE m3.			
Rx Packets:	36382 / 0	Tx Packets:	72716 / 0
Rx Bytes:	3248150 / 0	Tx Bytes:	91491287 / 0
RTS Retries:	0 / 0	Data Retries:	55890 / 0

RATE m4.			
Rx Packets:	135549 / 0	Tx Packets:	1108183 / 0
Rx Bytes:	10399611 / 0	Tx Bytes:	1516078482 / 0
RTS Retries:	0 / 0	Data Retries:	173609 / 0

RATE m5.			
Rx Packets:	130506 / 0	Tx Packets:	160331 / 0
Rx Bytes:	8492744 / 0	Tx Bytes:	205256041 / 0
RTS Retries:	0 / 0	Data Retries:	174381 / 0

```

RATE m6.
Rx Packets: 125746 / 0 Tx Packets: 17799 / 0
Rx Bytes: 8178066 / 0 Tx Bytes: 17254596 / 0
RTS Retries: 0 / 0 Data Retries: 6438 / 0

RATE m7.
Rx Packets: 514167 / 0 Tx Packets: 141605 / 0
Rx Bytes: 38248070 / 0 Tx Bytes: 157064292 / 0
RTS Retries: 0 / 0 Data Retries: 15970 / 0

RATE m8.
Rx Packets: 5577 / 0 Tx Packets: 1465 / 0
Rx Bytes: 1024567 / 0 Tx Bytes: 1092047 / 0
RTS Retries: 0 / 0 Data Retries: 1582 / 0

RATE m9.
Rx Packets: 13134 / 0 Tx Packets: 79746 / 0
Rx Bytes: 3055406 / 0 Tx Bytes: 109136622 / 0
RTS Retries: 0 / 0 Data Retries: 44306 / 0

RATE m10.
Rx Packets: 9585 / 0 Tx Packets: 185888 / 0
Rx Bytes: 2060712 / 0 Tx Bytes: 257952821 / 0
RTS Retries: 0 / 0 Data Retries: 54972 / 0

RATE m11.
Rx Packets: 5399 / 0 Tx Packets: 5025 / 0
Rx Bytes: 2287400 / 0 Tx Bytes: 4314076 / 0
RTS Retries: 0 / 0 Data Retries: 2417 / 0

RATE m12.
Rx Packets: 22119 / 0 Tx Packets: 113321 / 0
Rx Bytes: 10422377 / 0 Tx Bytes: 126248231 / 0
RTS Retries: 0 / 0 Data Retries: 25172 / 0

RATE m13.
Rx Packets: 133353 / 2 Tx Packets: 662804 / 1
Rx Bytes: 22641568 / 272 Tx Bytes: 815705648 / 102
RTS Retries: 0 / 0 Data Retries: 175752 / 0

RATE m14.
Rx Packets: 401418 / 0 Tx Packets: 996900 / 0
Rx Bytes: 66141253 / 0 Tx Bytes: 1259554993 / 0
RTS Retries: 0 / 0 Data Retries: 215314 / 0

RATE m15.
Rx Packets: 1746885 / 44 Tx Packets: 4419998 / 23
Rx Bytes: 224790035 / 8126 Tx Bytes: 974205208 / 3799
RTS Retries: 0 / 0 Data Retries: 826817 / 0

```

Radio resets - total:0 retries:0 failed:
Log Buffer:

```

PowerPC405ex Ethernet unit 0
PHY Hardware is Broadcom BCM5481 rev. 2

Rx counts - good:19686714 errors:0 drops:0
Tx statistics: txcount 1 txsize 128
tx_ra 0x07002B00 tx_p 0x0132AAB8 tx_tail 0x07002BF8 tail_txp 0x0132AB34
ISR counts - tot:0 rx:14607037 tx:6244743 err:132 phy:0
Current station address 68ef.bdf3.faf8, default address 68ef.bdf3.faf8
0 missed datagrams, 0 overruns
0 transmitter underruns, 0 excessive collisions
0 single collisions, 0 multiple collisions
0 dma memory errors, 0 CRC errors

0 alignment errors, 0 runts, 0 giants

EMAC/MAL specific errors:
0 emac_err_isr, 132 mal_err_isr
0 rx errors...
  0 mal_rx_serr, 132 mal_rx_de
  0 rx CRC (FCS) errors, 0 rx frame alignment
  0 rx overruns, 0 rx bad packets (aborted)
  0 rx runts, 0 rx too short, 0 rx too long
0 tx errors...
  0 mal_tx_serr, 0 mal_tx_de
  0 tx underruns, 0 tx CRC (FCS) errors
  0 tx lost carrier, 0 tx excessive deferrals
  0 tx excessive collisions, 0 late collisions
  0 tx multiple collisions, 0 single collisions
  0 output queue fail

```

```

MAL register dump:
mal0_cfg      0x0026C086 0x180
mal0_esr      0x40100000 0x181
mal0_ier      0x000000F7 0x182
mal0_txcasr   0x80000000 0x184
mal0_txcarr   0x80000000 0x185
mal0_txebisr  0x80000000 0x186
mal0_txdeir   0x00000000 0x187
mal0_rxcasr   0x80000000 0x190
mal0_rxcarr   0x80000000 0x191
mal0_rxebisr  0x80000000 0x192
mal0_rxdeir   0x00000000 0x193
mal0_txctp0r  0x07002B00 0x1A0
mal0_rxctp0r  0x07002680 0x1C0
mal0_rcbs0    0x00000060 0x1E0

EMAC register dump:
emac0_mr0     0x18000000 0x00
emac0_mrl1    0xA1AD8018 0x04
emac0_tmr0    0x00000007 0x08
emac0_tmr1    0x88100000 0x0C
emac0_rmr     0x00B00007 0x10
emac0_isr     0x0C000002 0x14
emac0_iser    0x00000000 0x18
emac0_iahr    0x000068EF 0x1C
emac0_ialr    0xBDF3FAF8 0x20
emac0_ptr     0x000FFFFF 0x2C
emac0_lsaH    0x00000CC08 0x50
emac0_lsAL    0xE0091E9F 0x54
emac0_ipgvr   0x00000004 0x58
emac0_stacr   0x3800102A 0x5C
emac0_trtr    0x07000000 0x60
emac0_rwmr    0x2000C000 0x64
sdr0_emacrxst 0x08402001 0x4301
sdr0_emactxst 0x00404001 0x4302

UIC register dump:
uic0_sr       0x88708400 0xC0
uic0_er       0x00000020 0xC2
uic0_msr      0x00000000 0xC6
uic1_sr       0x20213832 0xD0
uic1_er       0x00000000 0xD2
uic1_msr      0x00000000 0xD6
uic2_sr       0x09000000 0xE0
uic2_er       0x00000000 0xE2
uic2_msr      0x00000000 0xE6

PHY register dump:
1140 796D 0143 BCA2 01E1 C9E1 006D 2001 46C9 0200 3800 0000 0000 0000 0000 0000 3000
0000 0F00 0000 0000 0000 0000 0000 71E7 871C 0000 FFFF 0E00 23EE 0000

RX ring with 128 entries at 0x7002680, Buffer size 1540
Rxhead = 0x70029E8 (109), Rxp = 0x132AA50 (109)
00 pak=0x01159FE8 buf=0x06228FF6 status=9C00 pak_size=72
01 pak=0x0115CA18 buf=0x06230EF6 status=9C00 pak_size=137
02 pak=0x0125FE88 buf=0x0653D0F6 status=9C00 pak_size=157
03 pak=0x011BEA10 buf=0x06357CF6 status=9C00 pak_size=68
04 pak=0x0127AB70 buf=0x0658DB76 status=9C00 pak_size=68
05 pak=0x01210CE8 buf=0x0644F0F6 status=9C00 pak_size=64
06 pak=0x01251A04 buf=0x06512176 status=9C00 pak_size=68
07 pak=0x01278BBC buf=0x06587C76 status=9C00 pak_size=68
08 pak=0x01171490 buf=0x0626F176 status=9C00 pak_size=302
09 pak=0x0126AACC buf=0x0655D776 status=9C00 pak_size=322
10 pak=0x011AB4B0 buf=0x0631D9F6 status=9C00 pak_size=72
11 pak=0x011D88E8 buf=0x063A5CF6 status=9C00 pak_size=72
12 pak=0x01267994 buf=0x06554376 status=9C00 pak_size=72
13 pak=0x011C570C buf=0x0636C476 status=9C00 pak_size=137
14 pak=0x0117656C buf=0x0627E476 status=9C00 pak_size=157
15 pak=0x01173EC0 buf=0x06277076 status=9C00 pak_size=78
16 pak=0x0117CEE4 buf=0x062921F6 status=9C00 pak_size=70
17 pak=0x012032F0 buf=0x064260F6 status=9C00 pak_size=64
18 pak=0x01187EAC buf=0x062B32F6 status=9C00 pak_size=64
19 pak=0x01236D1C buf=0x064C16F6 status=9C00 pak_size=137
20 pak=0x011EA930 buf=0x063DC076 status=9C00 pak_size=157
21 pak=0x0120E63C buf=0x06447C76 status=9C00 pak_size=94
22 pak=0x011D3B90 buf=0x06397476 status=9C00 pak_size=86
23 pak=0x0117575C buf=0x0627BA76 status=9C00 pak_size=66
24 pak=0x011F081C buf=0x063EDDF6 status=9C00 pak_size=68
25 pak=0x011F35D0 buf=0x063F6776 status=9C00 pak_size=100
26 pak=0x0121D54C buf=0x06474BF6 status=9C00 pak_size=64
27 pak=0x0126DF88 buf=0x065675F6 status=9C00 pak_size=106
28 pak=0x01180AA8 buf=0x0629D5F6 status=9C00 pak_size=303
29 pak=0x0124A27C buf=0x064FB9F6 status=9C00 pak_size=323

```

```
30 pak=0x011FFE34 buf=0x0641C276 status=9C00 pak_size=122
31 pak=0x01178510 buf=0x062843F6 status=9C00 pak_size=68
32 pak=0x01154B88 buf=0x062191F6 status=9C00 pak_size=94
33 pak=0x012822F8 buf=0x065A4376 status=9C00 pak_size=265
34 pak=0x0117F20C buf=0x06298B76 status=9C00 pak_size=285
35 pak=0x011E514C buf=0x063CB7F6 status=9C00 pak_size=409
36 pak=0x0117EB04 buf=0x06297676 status=9C00 pak_size=68
37 pak=0x01271B4C buf=0x065729F6 status=9C00 pak_size=137
38 pak=0x0119B088 buf=0x062ECAF6 status=9C00 pak_size=157
39 pak=0x0128E454 buf=0x065C88F6 status=9C00 pak_size=64
40 pak=0x011EC1CC buf=0x063E0A76 status=9C00 pak_size=68
41 pak=0x01195FAC buf=0x062DD7F6 status=9C00 pak_size=72
42 pak=0x0125D458 buf=0x065351F6 status=9C00 pak_size=68
43 pak=0x01178F9C buf=0x06286376 status=9C00 pak_size=72
44 pak=0x011B1E28 buf=0x06331776 status=9C00 pak_size=267
45 pak=0x011D22F4 buf=0x06392A76 status=9C00 pak_size=287
46 pak=0x01174CD0 buf=0x06279A76 status=9C00 pak_size=64
47 pak=0x011AABB8 buf=0x0631EEF6 status=9C00 pak_size=137
48 pak=0x0127A7EC buf=0x0658D0F6 status=9C00 pak_size=157
49 pak=0x0125F3FC buf=0x0653B176 status=9C00 pak_size=68
50 pak=0x01215DC4 buf=0x0645E476 status=9C00 pak_size=122
51 pak=0x012303A4 buf=0x064AD976 status=9C00 pak_size=78
52 pak=0x011B1204 buf=0x063BF976 status=9C00 pak_size=137
53 pak=0x0119195C buf=0x062D0476 status=9C00 pak_size=157
54 pak=0x0119C5A0 buf=0x062F0A76 status=9C00 pak_size=82
55 pak=0x011931F8 buf=0x062D4E76 status=9C00 pak_size=64
56 pak=0x012415DC buf=0x064E12F6 status=9C00 pak_size=594
57 pak=0x011A329C buf=0x06305276 status=9C00 pak_size=299
58 pak=0x012644D8 buf=0x0654A476 status=9C00 pak_size=145
59 pak=0x01158E54 buf=0x06225AF6 status=9C00 pak_size=319
60 pak=0x01277A38 buf=0x06584776 status=9C00 pak_size=94
61 pak=0x01253D2C buf=0x06518B76 status=9C00 pak_size=64
62 pak=0x0115C694 buf=0x06230476 status=9C00 pak_size=64
63 pak=0x011AF3F8 buf=0x06329876 status=9C00 pak_size=64
64 pak=0x0128FCF0 buf=0x065CD2F6 status=9C00 pak_size=64
65 pak=0x01252490 buf=0x06514176 status=9C00 pak_size=64
66 pak=0x011A40AC buf=0x06307CF6 status=9C00 pak_size=303
67 pak=0x012001B8 buf=0x0641CCF6 status=9C00 pak_size=323
68 pak=0x01283B94 buf=0x065A8D76 status=9C00 pak_size=100
69 pak=0x011CB5F8 buf=0x0637E276 status=9C00 pak_size=213
70 pak=0x0121CAC0 buf=0x06472C76 status=9C00 pak_size=68
71 pak=0x011C0D38 buf=0x0635E676 status=9C00 pak_size=303
72 pak=0x0124B794 buf=0x064FF976 status=9C00 pak_size=323
73 pak=0x01187420 buf=0x062B12F6 status=9C00 pak_size=68
74 pak=0x01229A2C buf=0x06499C76 status=9C00 pak_size=64
75 pak=0x0126101C buf=0x0654A05F6 status=9C00 pak_size=72
76 pak=0x011D8C6C buf=0x063A6776 status=9C00 pak_size=64
77 pak=0x011CE028 buf=0x06386176 status=9C00 pak_size=100
78 pak=0x011D5B34 buf=0x0639D376 status=9C00 pak_size=64
79 pak=0x011A248C buf=0x063027F6 status=9C00 pak_size=66
80 pak=0x01199EF4 buf=0x062E9676 status=9C00 pak_size=100
81 pak=0x01182DD0 buf=0x062A3F76 status=9C00 pak_size=302
82 pak=0x011BCFDC buf=0x063E34F6 status=9C00 pak_size=322
83 pak=0x011D96F8 buf=0x063A8776 status=9C00 pak_size=72
84 pak=0x011A7C70 buf=0x06313076 status=9C00 pak_size=64
85 pak=0x011C84C0 buf=0x06374E76 status=9C00 pak_size=72
86 pak=0x0120C314 buf=0x064412F6 status=9C00 pak_size=72
87 pak=0x0119D02C buf=0x062F2A76 status=9C00 pak_size=100
88 pak=0x0124FDE4 buf=0x06500CCF6 status=9C00 pak_size=64
89 pak=0x01162904 buf=0x06242C76 status=9C00 pak_size=64
90 pak=0x0116D1C4 buf=0x06262876 status=9C00 pak_size=64
91 pak=0x01207238 buf=0x06431F76 status=9C00 pak_size=216
92 pak=0x011B4858 buf=0x063395F6 status=9C00 pak_size=64
93 pak=0x01256054 buf=0x0651F4F6 status=9C00 pak_size=64
94 pak=0x011B1018 buf=0x0632ECF6 status=9C00 pak_size=64
95 pak=0x012710C0 buf=0x06570A76 status=9C00 pak_size=64
96 pak=0x0116684C buf=0x0624EAF6 status=9C00 pak_size=251
97 pak=0x0127B980 buf=0x065905F6 status=9C00 pak_size=64
98 pak=0x012540B0 buf=0x065195F6 status=9C00 pak_size=64
99 pak=0x011A86FC buf=0x06315076 status=9C00 pak_size=64
100 pak=0x0118385C buf=0x062A5F76 status=9C00 pak_size=64
101 pak=0x011F9840 buf=0x06408FP6 status=9C00 pak_size=64
102 pak=0x0116C3B4 buf=0x0625FDF6 status=9C00 pak_size=64
103 pak=0x012539A8 buf=0x065180F6 status=9C00 pak_size=64
104 pak=0x01259894 buf=0x06529E76 status=9C00 pak_size=64
105 pak=0x011FE598 buf=0x06417876 status=9C00 pak_size=64
106 pak=0x0116E6DC buf=0x062667F6 status=9C00 pak_size=64
107 pak=0x012349F4 buf=0x064BAD76 status=9C00 pak_size=64
108 pak=0x0121106C buf=0x0644FB76 status=9C00 pak_size=94
109 pak=0x0117C458 buf=0x062901F6 status=9C00 pak_size=86
110 pak=0x0116AB18 buf=0x0625B3F6 status=9C00 pak_size=103
111 pak=0x0116E358 buf=0x06265CF6 status=9C00 pak_size=64
112 pak=0x012326CC buf=0x064B4376 status=9C00 pak_size=68
113 pak=0x01165A3C buf=0x0624C076 status=9C00 pak_size=68
```

```

114 pak=0x011834D8 buf=0x062A5476 status=9C00 pak_size=216
115 pak=0x01240ED4 buf=0x064DFD76 status=9C00 pak_size=144
116 pak=0x0116FBF4 buf=0x0626A776 status=9C00 pak_size=66
117 pak=0x011C1B48 buf=0x063610P6 status=9C00 pak_size=64
118 pak=0x012008C0 buf=0x0641E276 status=9C00 pak_size=103
119 pak=0x01200C44 buf=0x0641ECF6 status=9C00 pak_size=299
120 pak=0x0120B504 buf=0x0643E876 status=9C00 pak_size=319
121 pak=0x012245CC buf=0x06489E76 status=9C00 pak_size=70
122 pak=0x011D5EB8 buf=0x0639DDP6 status=9C00 pak_size=68
123 pak=0x012350FC buf=0x064BC276 status=9C00 pak_size=103
124 pak=0x011DB318 buf=0x063ADBP6 status=9C00 pak_size=106
125 pak=0x01283108 buf=0x065A6D76 status=9C00 pak_size=94
126 pak=0x011687F0 buf=0x062549P6 status=9C00 pak_size=68
127 pak=0x0117A130 buf=0x06289876 status=DC00 pak_size=68

```

```

TX ring with 128 entries at 0x7002B00, tx_count = 1
tx_head = 0x7002C00 (32), head_txp = 0x132AB38 (32)
tx_tail = 0x7002BF8 (31), tail_txp = 0x132AB34 (31)
00 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
01 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
02 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
03 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
04 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
05 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
06 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
07 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
08 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
09 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
10 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
11 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
12 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
13 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
14 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
15 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
16 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
17 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
18 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
19 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
20 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
21 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
22 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
23 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
24 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
25 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
26 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
27 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
28 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
29 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
30 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
31 pak=0x00FC3E7C buf=0x0600DEC2 status=1400 pak_size=158
32 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
33 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
34 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
35 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
36 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
37 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
38 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
39 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
40 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
41 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
42 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
43 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
44 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
45 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
46 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
47 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
48 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
49 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
50 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
51 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
52 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
53 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
54 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
55 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
56 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
57 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
58 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
59 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
60 pak=0x00000000 buf=0x00000000 status=1400 pak_size=290
61 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
62 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
63 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
64 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
65 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590

```

```

66 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
67 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
68 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
69 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
70 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
71 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
72 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
73 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
74 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
75 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
76 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
77 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
78 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
79 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
80 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
81 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
82 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
83 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
84 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
85 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
86 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
87 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
88 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
89 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
90 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
91 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
92 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
93 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
94 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
95 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
96 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
97 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
98 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
99 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
100 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
101 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
102 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
103 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
104 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
105 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
106 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
107 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
108 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
109 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
110 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
111 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
112 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
113 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
114 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
115 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
116 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
117 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
118 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
119 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
120 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
121 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
122 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
123 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
124 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
125 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
126 pak=0x00000000 buf=0x00000000 status=1400 pak_size=590
127 pak=0x00000000 buf=0x00000000 status=5400 pak_size=590

```

----- show user -----

Line	User	Host(s)	Idle	Location	
Interface	User		Mode	Idle	Peer Address

----- show data-corruption -----

No data inconsistency errors have been recorded.

----- show file systems -----

File Systems:

	Size(b)	Free(b)	Type	Flags	Prefixes
*	32385024	26839040	flash	rw	flash:
	-	-	opaque	rw	bs:
	32385024	26839040	unknown	rw	zflash:
	-	-	opaque	rw	archive:
	-	-	opaque	rw	system:
	32768	31692	nvram	rw	nvram:
	-	-	network	rw	tftp:
	-	-	opaque	rw	null:
	-	-	opaque	ro	xmodem:
	-	-	opaque	ro	ymodem:
	-	-	network	rw	rcp:
	-	-	network	rw	ftp:
	-	-	network	rw	http:
	-	-	network	rw	scp:
	-	-	network	rw	https:

----- show flash: all -----

Directory of flash:/

3	-rwx	246	Oct 8 2010 09:19:18 -04:00	env_vars
5	drwx	256	Oct 4 2010 22:20:39 -04:00	c1140-k9w7-mx.124-21a.JY
4	-rwx	1048	Oct 8 2010 09:16:58 -04:00	private-multiple-fs

32385024 bytes total (26839040 bytes free)

----- dir nvram: -----

Directory of nvram:/

30	-rw-	0	<no date>	startup-config
31	----	0	<no date>	private-config
1	----	12	<no date>	persistent-data

32768 bytes total (31692 bytes free)

----- show memory statistics -----

Processor	Head	Total(b)	Used(b)	Free(b)	Lowest(b)	Largest(b)
	D833C4	86484028	7641784	78842244	77602332	77396044
I/O	6000000	16777216	6118328	10658888	10491636	10658888
I/O	7000000	16777216	12036	16765180	16765180	16765128

----- show process memory -----

Processor Pool Total:	86484028	Used:	7641516	Free:	78842512
I/O Pool Total:	16777216	Used:	6118324	Free:	10658892
I/O Pool Total:	16777216	Used:	12024	Free:	16765192

PID	TTY	Allocated	Freed	Holding	Getbufs	Retbufs	Process
0	0	14764532	836508	11218664	0	0	*Init*
0	0	12408	1484252	12408	0	0	*Sched*
0	0	40118152	40954468	606000	5997792	5997792	*Dead*
0	0	0	0	393528	0	0	*MallocLite*
1	0	0	0	7012	0	0	Chunk Manager
2	0	196	196	4012	0	0	Load Meter
3	0	456	0	7468	0	0	SNTP
4	0	4692	196	11508	0	0	Check heaps
5	0	423636	427052	7012	187488	189000	Pool Manager
6	0	196	196	7012	0	0	Timers
7	0	196	196	7012	0	0	AAA high-capacit
8	0	0	0	7012	0	0	AAA SERVER_DEADT
9	0	0	0	13012	0	0	Policy Manager
10	0	0	0	25012	0	0	Crash writer
11	0	16864124	16849276	40392	0	0	HTTP CP
12	0	0	0	7012	0	0	RO Notify Timers
13	0	16377424	28526052	67036	0	0	RADIUS
14	0	0	0	7012	0	0	ARP Input
15	0	848	0	7860	0	0	Entity MIB API
16	0	0	0	7012	0	0	HC Counter Timer
17	0	196	196	7012	0	0	GraphIt
18	0	0	0	7012	0	0	Net Input
19	0	0	0	7012	0	0	Critical Bkgnd
20	0	22408	324	14060	0	0	Net Background
21	0	9838436	9838436	13012	0	0	IDB Work
22	0	196	196	13012	0	0	Logger
23	0	196	1904	7012	0	756	TTY Background

24	0	0	0	10012	0	0 Per-Second Jobs
25	0	0	0	7012	0	0 DOT11 Network Ma
26	0	0	0	7012	0	0 Transport Port A
27	0	196	196	7012	0	0 Compute load avg
28	0	0	1360	7012	0	0 Per-minute Jobs
29	0	21145240	5136440	175876	0	0 Dot11 driver
30	0	196	196	7012	0	0 Dot11 driver log
31	0	0	0	7012	0	0 Voice Metrics Ta
32	0	0	0	7012	0	0 SOAP LED Process
33	0	10532872	196	7012	0	0 AAA Server
34	0	0	0	7012	0	0 AAA ACCT Proc
35	0	0	0	7012	0	0 ACCT Periodic Pr
36	0	242568	6060	99232	0	0 IP Input
37	0	0	0	7012	0	0 ICMP event handl
39	0	196	196	7012	0	0 AAA Dictionary R
40	0	1436	196	8176	0	0 CDP Protocol
41	0	0	0	7012	0	0 linktest
42	0	35473928	138004	10012	0	0 Dot11 aaa proces
43	0	0	0	10012	0	0 pmkid
44	0	1355956	5657524	311772	0	0 Dot11 Mgmt & Ass
45	0	196	196	7012	0	0 DOT11 MFP IO
46	0	6124	4072	7012	0	0 AiroIAPP Protoco
47	0	196	196	7012	0	0 Triggered events
48	0	196	34477596	10012	0	0 Dot11 auth Dot1x
49	0	0	0	7012	0	0 Dot11 Mac Auth
50	0	196	196	7012	0	0 CDP ILP Platform
51	0	1404	0	8416	0	0 Dot11CACprocess
52	0	508	196	7324	0	0 Dot1x Mgr Proces
53	0	0	0	7012	0	0 MAB Framework
54	0	0	0	7012	0	0 EAP Framework
55	0	0	0	7012	0	0 EAP Test
56	0	0	150288	13012	0	0 TCP Timer
57	0	88816	0	13012	0	0 TCP Protocols
58	0	0	0	7012	0	0 Socket Timers
59	0	0	0	7012	0	0 IP Traceroute
60	0	5600	0	12612	0	0 L2MM
61	0	0	0	7012	0	0 MRD
62	0	0	0	7012	0	0 IGMPSN
63	0	6738704	4875132	24176	0	0 HTTP CORE
65	0	10540	196	17356	0	0 DDP
66	0	196	196	7012	0	0 WLCCP MFP AP
67	0	360	196	7176	0	0 Dot1x Supplicant
68	0	360	196	7176	0	0 Dot1x Supplicant
69	0	360	196	7176	0	0 Dot1x Supplicant
70	0	44192	208656	7012	0	0 LOCAL AAA
71	0	196	196	7012	0	0 AAA Cached Serve
72	0	196	196	7012	0	0 ENABLE AAA
73	0	196	196	7012	0	0 LINE AAA
74	0	66544	196	7772	0	0 TPLUS
75	0	0	0	7012	0	0 EM Background Pr
76	0	0	0	13012	0	0 encrypt proc
77	0	196	196	7012	0	0 Soap Consoleless
78	0	66960	66184	13788	0	0 Crypto CA
79	0	0	0	9012	0	0 Crypto PKI-CRL
80	0	0	0	9012	0	0 Crypto SSL
81	0	0	0	7012	0	0 crypto engine pr
82	0	1762220	12592560	7012	0	0 AAA SEND STOP EV
83	0	196	196	7012	0	0 Dot11 LBS Proc
84	0	5873852	5873852	7012	0	0 Syslog Traps
85	0	2482948	2481688	14272	0	0 Syslog
87	0	0	0	7012	0	0 SNMP Timers
88	0	47600	48012	13764	0	0 DHCP Client
89	0	196	196	13044	0	0 HyBridge Input P
90	0	360	196	7208	0	0 Tbridge Monitor
91	0	360	196	13208	0	0 Spanning Tree
92	0	17805120	17795580	13888	0	0 IP SNMP
93	0	20649648	0	13012	0	0 PDU DISPATCHER
94	0	55629512	76287824	13012	0	0 SNMP ENGINE
95	0	5928	0	18940	0	0 IP SNMPV6
96	0	0	0	13012	0	0 SNMP ConfCopyPro
97	0	7956	2540	13304	2268	0 SNMP Traps
98	0	7560608	7569916	14764	0	0 crypto sw pk pro
99	0	26080	0	11320	0	0 SSH Event handle

13768456 Total

----- show process cpu -----

CPU utilization for five seconds: 22%/0%; one minute: 24%; five minutes: 22%

PID	Runtime(ms)	Invoked	uSecs	5Sec	1Min	5Min	TTY	Process
1	0	2	0	0.00%	0.00%	0.00%	0	Chunk Manager
2	103	104869	0	0.08%	0.00%	0.00%	0	Load Meter
3	15	16407	0	0.00%	0.00%	0.00%	0	SNTP
4	107386	53518	2006	0.00%	0.01%	0.00%	0	Check heaps

5	31	202	153	0.00%	0.00%	0.00%	0 Pool Manager
6	1	2	500	0.00%	0.00%	0.00%	0 Timers
7	2	1525	1	0.00%	0.00%	0.00%	0 AAA high-capacit
8	0	1	0	0.00%	0.00%	0.00%	0 AAA SERVER DEADT
9	0	1	0	0.00%	0.00%	0.00%	0 Policy Manager
10	0	1	0	0.00%	0.00%	0.00%	0 Crash writer
11	629	65	9676	0.00%	0.00%	0.00%	0 HTTP CP
12	0	1	0	0.00%	0.00%	0.00%	0 RO Notify Timers
13	15539	16450060	0	0.00%	0.00%	0.00%	0 RADIUS
14	249217	2449220	101	0.08%	0.03%	0.02%	0 ARP Input
15	1	2	500	0.00%	0.00%	0.00%	0 Entity MIB API
16	5	154160	0	0.00%	0.00%	0.00%	0 HC Counter Timer
17	36	524341	0	0.00%	0.00%	0.00%	0 GraphIt
18	653	17475	37	0.00%	0.00%	0.00%	0 Net Input
19	0	1	0	0.00%	0.00%	0.00%	0 Critical Bkgnd
20	41	209803	0	0.08%	0.00%	0.00%	0 Net Background
21	32	52451	0	0.00%	0.00%	0.00%	0 IDB Work
22	217	17145	12	0.00%	0.00%	0.00%	0 Logger
23	93	524335	0	0.00%	0.00%	0.00%	0 TTY Background
24	25	524400	0	0.00%	0.00%	0.00%	0 Per-Second Jobs
25	0	1748	0	0.00%	0.00%	0.00%	0 DOT11 Network Ma
26	0	76	0	0.00%	0.00%	0.00%	0 Transport Port A
27	19	104871	0	0.00%	0.00%	0.00%	0 Compute load avg
28	35094	8743	4013	0.00%	0.00%	0.00%	0 Per-minute Jobs
29	92279550	488952615	188	21.62%	19.74%	19.08%	0 Dot11 driver
30	0	2	0	0.00%	0.00%	0.00%	0 Dot11 driver log
31	23	524394	0	0.00%	0.00%	0.00%	0 Voice Metrics Ta
32	307	3495937	0	0.00%	0.00%	0.00%	0 SOAP LED Process
33	5127	16962	302	0.00%	0.00%	0.00%	0 AAA Server
34	0	1	0	0.00%	0.00%	0.00%	0 AAA ACCT Proc
35	0	1	0	0.00%	0.00%	0.00%	0 ACCT Periodic Pr
36	7888	97160	81	0.00%	0.13%	0.04%	0 IP Input
37	0	1	0	0.00%	0.00%	0.00%	0 ICMP event handl
39	0	2	0	0.00%	0.00%	0.00%	0 AAA Dictionary R
40	1120	75069	14	0.00%	0.00%	0.00%	0 CDP Protocol
41	14	524394	0	0.00%	0.00%	0.00%	0 linktest
42	8712	41534	209	0.00%	0.00%	0.00%	0 Dot11 aaa proces
43	0	8740	0	0.00%	0.00%	0.00%	0 pmkid
44	40837	1189831	34	0.00%	0.00%	0.00%	0 Dot11 Mgmt & Ass
45	0	2	0	0.00%	0.00%	0.00%	0 DOT11 MFP IO
46	18707	854884	21	0.00%	0.00%	0.00%	0 AiroIAPP Protoco
47	0	2	0	0.00%	0.00%	0.00%	0 Triggered events
48	5382	30531	176	0.00%	0.00%	0.00%	0 Dot11 auth Dot1x
49	0	1	0	0.00%	0.00%	0.00%	0 Dot11 Mac Auth
50	17	524343	0	0.00%	0.00%	0.00%	0 CDP ILP Platform
51	3	104880	0	0.00%	0.00%	0.00%	0 Dot11CACprocess
52	901	20177	44	0.00%	0.00%	0.00%	0 Dot1x Mgr Proces
53	0	1	0	0.00%	0.00%	0.00%	0 MAB Framework
54	0	1	0	0.00%	0.00%	0.00%	0 EAP Framework
55	0	1	0	0.00%	0.00%	0.00%	0 EAP Test
56	16	703	22	0.00%	0.00%	0.00%	0 TCP Timer
57	0	7	0	0.00%	0.00%	0.00%	0 TCP Protocols
58	0	1	0	0.00%	0.00%	0.00%	0 Socket Timers
59	0	1	0	0.00%	0.00%	0.00%	0 IP Traceroute
60	3	9	333	0.00%	0.00%	0.00%	0 L2MM
61	0	1	0	0.00%	0.00%	0.00%	0 MRD
62	668	10121	66	0.00%	0.00%	0.00%	0 IGMPSN
63	4262	5144	828	0.00%	1.67%	0.67%	0 HTTP CORE
65	0	2	0	0.00%	0.00%	0.00%	0 DDP
66	0	26219	0	0.00%	0.00%	0.00%	0 WLCCP MFP AP
67	0	2	0	0.00%	0.00%	0.00%	0 Dot1x Supplicant
68	1	2	500	0.00%	0.00%	0.00%	0 Dot1x Supplicant
69	0	2	0	0.00%	0.00%	0.00%	0 Dot1x Supplicant
70	58	423	137	0.00%	0.00%	0.00%	0 LOCAL AAA
71	0	2	0	0.00%	0.00%	0.00%	0 AAA Cached Serve
72	0	2	0	0.00%	0.00%	0.00%	0 ENABLE AAA
73	1	2	500	0.00%	0.00%	0.00%	0 LINE AAA
74	0	2	0	0.00%	0.00%	0.00%	0 TPLUS
75	0	1	0	0.00%	0.00%	0.00%	0 EM Background Pr
76	0	1	0	0.00%	0.00%	0.00%	0 encrypt proc
77	1	35	28	0.00%	0.00%	0.00%	0 Soap Consoleless
78	3	4	750	0.00%	0.00%	0.00%	0 Crypto CA
79	0	1	0	0.00%	0.00%	0.00%	0 Crypto PKI-CRL
80	0	1	0	0.00%	0.00%	0.00%	0 Crypto SSL
81	0	1	0	0.00%	0.00%	0.00%	0 crypto engine pr
82	1551	11597	133	0.00%	0.01%	0.00%	0 AAA SEND STOP EV
83	0	2	0	0.00%	0.00%	0.00%	0 Dot11 LBS Proc
84	3323	3376	984	0.00%	0.00%	0.00%	0 Syslog Traps
85	766	9012	84	0.00%	0.00%	0.00%	0 Syslog
87	0	1	0	0.00%	0.00%	0.00%	0 SNMP Timers
88	48	524593	0	0.00%	0.00%	0.00%	0 DHCP Client
89	260422	5037448	51	0.08%	0.11%	0.08%	0 HyBridge Input P
90	81	613671	0	0.00%	0.00%	0.00%	0 Tbridge Monitor
91	0	2	0	0.00%	0.00%	0.00%	0 Spanning Tree

```

92      11931     95711      124  0.00%  0.00%  0.00%  0 IP SNMP
93      6352      43945      144  0.00%  0.00%  0.00%  0 PDU DISPATCHER
94      55382      43948     1260  0.16%  0.01%  0.00%  0 SNMP ENGINE
95          0         1         0  0.00%  0.00%  0.00%  0 IP SNMPV6
96          0         1         0  0.00%  0.00%  0.00%  0 SNMP ConfCopyPro
97     2558       4521       565  0.00%  0.00%  0.00%  0 SNMP Traps
98     86310      6947     12424  0.00%  0.00%  0.00%  0 crypto sw pk pro
99      22        292        75  0.00%  0.00%  0.00%  0 SSH Event handle

```

----- show process cpu history -----

ap7e-kimmel 10:58:00 AM Thursday Oct 14 2010 EDT

```

222222222222222222222222333322222222233332222222222
2222111111111222288887777777788884444111111111000001

```

```

100
90
80
70
60
50
40      *****
30      ***** * ***** *****
20 **** * **** * **** * **** * **** * **** * **** * **** *
10 **** * **** * **** * **** * **** * **** * **** * **** *
0....5....1....1....2....2....3....3....4....4....5....5....6
    0      5      0      5      0      5      0      5      0      5      0
CPU% per second (last 60 seconds)

```

```

322232222222222222222222222222222222222222222222222222222
7923533232233234434342333344322344934323234422333322444

```

```

100
90
80
70
60
50
40 *   *
30 #*  *
20 ##### * #####
10 ##### * #####
0....5....1....1....2....2....3....3....4....4....5....5....6
    0      5      0      5      0      5      0      5      0      5      0
CPU% per minute (last 60 minutes)
* = maximum CPU% # = average CPU%

```

```

3233233243232333223223232322232322232222211 111 1211 122131421122
269688991083640008807758681689099756068629787501833784053964174403872338

```

```

100
90
80
70
60
50
40 ** * *      *      *      *      *
30 ***** * ***** * ***** * *
20 ##### * ##### * * * * * * * *
10 ##### * ##### * ##### * * * * * *
0....5....1....1....2....2....3....3....4....4....5....5....6....6....7...
    0      5      0      5      0      5      0      5      0      5      0
CPU% per hour (last 72 hours)
* = maximum CPU% # = average CPU%

```

----- show dot11 associations all-client -----

Address	:	0019.d268.4218	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM2			
VLAN	:	1235			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	

Address	:	001b.63c1.4d61	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM2			
VLAN	:	1235			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	001b.63c5.c7db	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM2			
VLAN	:	1235			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	0022.41f8.b5f1	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM2			
VLAN	:	1235			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	001c.b3b3.3dbf	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	001e.c2ad.538f	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	0021.e9da.e30f	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	0023.1257.1f11	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
 Address	:	0025.0040.1e39	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Drv_Add_In	Parent	:	self
SSID	:	NYU-ROAM3			

```

VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 0026.08e3.7eff      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 0026.08e6.1b25      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 0026.bb07.b7de      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 6033.4b21.e01b      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 78ca.39af.e186      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 78ca.39b1.cdc3      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 7c6d.62b8.5883      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE
CCX Version   : NONE            Client MFP    : Off

State         : Drv_Add_In       Parent        : self
SSID          : NYU-ROAM3
VLAN          : 1233
Hops to Infra : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 7c6d.62df.c01e      Name          : NONE
IP Address    : 0.0.0.0          Interface     : Dot11Radio 1
Device        : unknown          Software Version : NONE

```

CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: c8bc.c84b.db99	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: d830.6288.8bff	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: d830.628a.e87f	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: d830.629e.414f	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: d8a2.5e6e.d7c2	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: d8a2.5e98.8a40	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: e806.88a6.917f	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: NYU-ROAM3		
VLAN	: 1233		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0

```

Address      : f81e.dfd7.02e2      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : NYU-ROAM3        VLAN      : 1233
VLAN         : 1233            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : f81e.dfea.bdc9      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : NYU-ROAM3        VLAN      : 1233
VLAN         : 1233            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : 0016.cf2a.1c32      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : nyu              VLAN      : 1231
VLAN         : 1231            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : 0017.f24e.5d7a      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : nyu              VLAN      : 1231
VLAN         : 1231            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : 001a.736b.cdd9      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : nyu              VLAN      : 1231
VLAN         : 1231            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : 001b.6302.2ac2      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : nyu              VLAN      : 1231
VLAN         : 1231            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0
PMKIDs:
1F35A1287B5B9B1049ABBAAD32DE60F8

Address      : 001b.6307.fd3c      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE
CCX Version  : NONE            Client MFP   : Off

State        : Drv_Add_In       Parent     : self
SSID         : nyu              VLAN      : 1231
VLAN         : 1231            Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address      : 001b.6309.47ac      Name       : NONE
IP Address   : 0.0.0.0          Interface  : Dot11Radio 1
Device       : unknown          Software Version : NONE

```

CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001b.63c3.6149	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001b.63c5.3be3	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001b.63ca.f268	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001c.b3b2.fb18	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001c.b3bf.6ale	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001e.5276.105e	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 001e.5286.a47b	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0

PMKIDS:

43693B4C74EA0B05A60B3813BB7B3287

```

Address      : 001e.5287.880a    Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self
SSID         : nyu            VLAN      : 1231
Hops to Infra: 1             Clients Associated: 0
Clients Associated: 0        Repeaters associated: 0

Address      : 001f.5bb9.7704   Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self
SSID         : nyu            VLAN      : 1231
Hops to Infra: 1             Clients Associated: 0
Clients Associated: 0        Repeaters associated: 0

Address      : 001f.5bbb.f9d0   Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self
SSID         : nyu            VLAN      : 1231
Hops to Infra: 1             Association Id : 4
Clients Associated: 0        Repeaters associated: 0
Tunnel Address: 0.0.0.0
Key Mgmt type: WPAv2         Encryption  : AES-CCMP
Current Rate : m15.           Capability  : WMM 11h
Supported Rates: 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Voice Rates   : disabled     Bandwidth  : 20 MHz
Signal Strength: -69 dBm     Connected for : 166444 seconds
Signal to Noise: 33 dB       Activity Timeout : 60 seconds
Power-save    : Off           Last Activity : 0 seconds ago
Apsd DE AC(s) : NONE

Packets Input  : 99893        Packets Output : 162901
Bytes Input    : 14304012     Bytes Output  : 201918320
Duplicates Rcvd: 0            Data Retries  : 182388
Decrypt Failed: 0            RTS Retries   : 0
MIC Failed    : 0            MIC Missing   : 0
Packets Redirected: 0        Redirect Filtered: 0

PMKIDS:
244A92B5359E16EF06B32C9F0CB84B0B

```

```

Address      : 001f.5bbd.db42   Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self
SSID         : nyu            VLAN      : 1231
Hops to Infra: 1             Clients Associated: 0
Clients Associated: 0        Repeaters associated: 0

Address      : 001f.5bbe.0647   Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self
SSID         : nyu            VLAN      : 1231
Hops to Infra: 1             Clients Associated: 0
Clients Associated: 0        Repeaters associated: 0

Address      : 001f.5bbe.340e   Name       : NONE
IP Address   : 0.0.0.0        Interface  : Dot11Radio 1
Device       : unknown        Software Version : NONE
CCX Version  : NONE          Client MFP   : Off

State        : Drv_Add_In     Parent     : self

```

```
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bbf.a55f Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bc2.1802 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bc8.e64c Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bcf.35a0 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bd1.2f8a Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bd1.426e Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 001f.5bd7.c334 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 0021.e9d8.fb00 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
```

```

Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9d9.306a  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9d9.b5f1  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9db.4a02  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9db.76fb  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9dc.5a63  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9de.aa81  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address        : 0021.e9de.afb1  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

```

Clients Associated: 0 Repeaters associated: 0

Address : 0022.41f8.b5a2 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0022.41f9.135b Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0022.41fb.90ab Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0023.1200.9ce8 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0023.1203.47ab Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0023.1206.1b57 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0023.6c81.8095 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeaters associated: 0

Address : 0023.6c96.7f27 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0024.2ca0.96a9	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.003d.99c7	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.003d.af3f	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.0041.3fa7	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.0047.0a1e	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.4b92.f485	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0025.4b9b.ed70	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated: 0		
Address	:	0026.08dd.803a	Name	:	NONE

IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.08de.7fde	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.08e2.be8d	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.08e9.8114	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.08eb.3f0d	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.5e26.819f	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.8206.bcbe	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	ccx-client	Software Version	:	NONE
CCX Version	:	4	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	0026.823f.b950	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			

```

Hops to Infra      : 1
Clients Associated: 0          Repeaters associated: 0

Address           : 0026.bb02.4b7f   Name        : NONE
IP Address        : 0.0.0.0       Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : Drv_Add_In   Parent      : self
SSID              : nyu
VLAN               : 1231
Hops to Infra     : 1
Clients Associated: 0          Repeaters associated: 0

Address           : 0026.bb0c.4c0c   Name        : NONE
IP Address        : 0.0.0.0       Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : Drv_Add_In   Parent      : self
SSID              : nyu
VLAN               : 1231
Hops to Infra     : 1
Clients Associated: 0          Repeaters associated: 0

Address           : 0026.bb0d.0867   Name        : NONE
IP Address        : 0.0.0.0       Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : Drv_Add_In   Parent      : self
SSID              : nyu
VLAN               : 1231
Hops to Infra     : 1
Clients Associated: 0          Repeaters associated: 0

Address           : 0026.bbb1c.59a1   Name        : NONE
IP Address        : 0.0.0.0       Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : Drv_Add_In   Parent      : self
SSID              : nyu
VLAN               : 1231
Hops to Infra     : 1
Clients Associated: 0          Repeaters associated: 0

Address           : 041e.64f4.35f3   Name        : NONE
IP Address        : 172.26.52.227  Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : EAP-Assoc    Parent      : self
SSID              : nyu
VLAN               : 1231
Hops to Infra     : 1          Association Id  : 3
Clients Associated: 0          Repeaters associated: 0
Tunnel Address    : 0.0.0.0
Key Mgmt type    : WPAv2        Encryption   : AES-CCMP
Current Rate      : m15.         Capability   : WMM 11h
Supported Rates  : 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Voice Rates       : disabled     Bandwidth   : 20 MHz
Signal Strength   : -59 dBm     Connected for : 170547 seconds
Signal to Noise   : 42 dB       Activity Timeout : 60 seconds
Power-save        : On          Last Activity  : 0 seconds ago
Apsd DE AC(s)    : NONE

Packets Input     : 21977        Packets Output  : 20524
Bytes Input       : 5260681     Bytes Output   : 15123070
Duplicates Rcvd  : 0            Data Retries   : 10352
Decrypt Failed   : 0            RTS Retries   : 0
MIC Failed        : 0            MIC Missing   : 0
Packets Redirected: 0          Redirect Filtered: 0
Session timeout   : 0 seconds
Reauthenticate in : never

Address           : 58b0.355d.d760   Name        : NONE
IP Address        : 0.0.0.0       Interface   : Dot11Radio 1
Device            : unknown       Software Version : NONE
CCX Version       : NONE         Client MFP    : Off

State             : Drv_Add_In   Parent      : self
SSID              : nyu
VLAN               : 1231

```

Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 58b0.3565.ae38 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 6033.4b1a.3527 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 6033.4b21.da3f Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 6033.4b21.e20d Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 78ca.39af.8946 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 78ca.39af.fbe0 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 78ca.39b2.0385 Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

State : Drv_Add_In Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0 Repeater associated: 0

Address : 78ca.39b4.fa0a Name : NONE
IP Address : 0.0.0.0 Interface : Dot11Radio 1
Device : unknown Software Version : NONE
CCX Version : NONE Client MFP : Off

```

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address     : 78ca.39b5.d06c  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE
CCX Version : NONE          Client MFP    : Off

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1           Association Id : 1
Clients Associated: 0          Repeaters associated: 0
Tunnel Address : 0.0.0.0
Key Mgmt type : WPAv2        Encryption   : AES-CCMP
Current Rate  : m15.          Capability   : WMM 11h
Supported Rates: 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Voice Rates   : disabled     Bandwidth   : 20 MHz
Signal Strength: -51 dBm     Connected for : 167800 seconds
Signal to Noise: 50 dB        Activity Timeout : 60 seconds
Power-save    : Off          Last Activity : 0 seconds ago
Apsd DE AC(s) : NONE

Packets Input   : 9716          Packets Output  : 9296
Bytes Input     : 1679275       Bytes Output   : 8766842
Duplicates Rcvd : 0             Data Retries   : 1302
Decrypt Failed  : 0             RTS Retries   : 0
MIC Failed      : 0             MIC Missing   : 0
Packets Redirected: 0          Redirect Filtered: 0

Address     : 78ca.39b5.d38a  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE
CCX Version : NONE          Client MFP    : Off

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address     : 78ca.39b7.c6ff  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE
CCX Version : NONE          Client MFP    : Off

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address     : 78ca.39b9.8429  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE
CCX Version : NONE          Client MFP    : Off

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address     : 78ca.39b9.8926  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE
CCX Version : NONE          Client MFP    : Off

State      : Drv_Add_In      Parent      : self
SSID       : nyu
VLAN       : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0
PMKIDs:
 239A6FB5EAE3471354F3ECBAF5CE45B9

Address     : 78ca.39ba.8d51  Name        : NONE
IP Address  : 0.0.0.0       Interface   : Dot11Radio 1
Device      : unknown        Software Version : NONE

```

CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 78ca.39be.0815	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 78ca.39dc.32ec	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 7c6d.62c1.83eb	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 9027.e4f5.d6cf	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: 9027.e4fd.3fc9	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: c42c.03c7.89ae	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0
Address	: c8bc.c807.6275	Name	: NONE
IP Address	: 0.0.0.0	Interface	: Dot11Radio 1
Device	: unknown	Software Version	: NONE
CCX Version	: NONE	Client MFP	: Off
State	: Drv_Add_In	Parent	: self
SSID	: nyu		
VLAN	: 1231		
Hops to Infra	: 1		
Clients Associated:	0	Repeaters associated:	0

Address	:	c8bc.c834.4dcc	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	c8bc.c83d.642b	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d49a.206d.e5c1	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d49a.2072.2736	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d49a.2076.d617	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d830.626d.59d1	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d830.6279.765d	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self
SSID	:	nyu			
VLAN	:	1231			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
Address	:	d830.628b.c3af	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 1
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
State	:	Drv_Add_In	Parent	:	self

```
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : d8a2.5e57.61f8      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : d8a2.5e6b.126d      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : d8a2.5e72.962a      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : d8a2.5e8b.bdab      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : e806.888e.f659      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : e806.888f.89e9      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : e806.888f.b179      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
Device : unknown             Software Version : NONE
CCX Version : NONE           Client MFP : Off

State : Drv_Add_In          Parent : self
SSID : nyu
VLAN : 1231
Hops to Infra : 1
Clients Associated: 0          Repeaters associated: 0

Address : e806.889a.1f5e      Name : NONE
IP Address : 0.0.0.0          Interface : Dot11Radio 1
```

```

Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : e806.889c.9f78  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : e806.88a6.ddc6  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : f81e.dfd7.dfc3  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : f81e.dfdc.0327  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : f81e.dfe1.0ef5  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : f81e.dfec.98fa  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0            Repeaters associated: 0

Address         : f81e.diff1.8542  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyu               Interface       : Dot11Radio 1
VLAN           : 1231             Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off

```

Clients Associated: 0	Repeaters associated: 0
Address : 0016.ce81.a2ac	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : ccx-client	Software Version : NONE
CCX Version : 2	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Association Id : 7
VLAN : 1232	Repeaters associated: 0
Hops to Infra : 1	
Clients Associated: 0	
Tunnel Address : 0.0.0.0	
Key Mgmt type : NONE	Encryption : Off
Current Rate : 12.0	Capability :
Supported Rates : 12.0 18.0 24.0 36.0 48.0 54.0	
Voice Rates : disabled	Bandwidth : 20 MHz
Signal Strength : -80 dBm	Connected for : 164710 seconds
Signal to Noise : 21 dB	Activity Timeout : 180 seconds
Power-save : Off	Last Activity : 0 seconds ago
Apsd DE AC(s) : NONE	
Packets Input : 1832	Packets Output : 50
Bytes Input : 66531	Bytes Output : 8335
Duplicates Rcvd : 5	Data Retries : 322
Decrypt Failed : 0	RTS Retries : 0
MIC Failed : 0	MIC Missing : 0
Packets Redirected: 0	Redirect Filtered: 0
Address : 001b.63bf.c13f	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Repeaters associated: 0
VLAN : 1232	
Hops to Infra : 1	
Clients Associated: 0	
Address : 0021.e9d8.f058	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Repeaters associated: 0
VLAN : 1232	
Hops to Infra : 1	
Clients Associated: 0	
Address : 0021.e9df.d5b1	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Repeaters associated: 0
VLAN : 1232	
Hops to Infra : 1	
Clients Associated: 0	
Address : 0023.1209.8fe4	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Repeaters associated: 0
VLAN : 1232	
Hops to Infra : 1	
Clients Associated: 0	
Address : 0023.1253.6cb3	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyuguest	Association Id : 2
VLAN : 1232	Repeaters associated: 0
Hops to Infra : 1	
Clients Associated: 0	
Tunnel Address : 0.0.0.0	

```

Key Mgmt type      : NONE          Encryption       : AES-CCMP
Current Rate       : m15.          Capability      : WMM 11h
Supported Rates    : 12.0 18.0 24.0 36.0 48.0 54.0 m0. m1. m2. m3. m4. m5. m6. m7. m8. m9. m10. m11. m12. m13. m14. m15.
Voice Rates        : disabled      Bandwidth       : 20 MHz
Signal Strength   : -56 dBm      Connected for  : 164791 seconds
Signal to Noise   : 45 dB        Activity Timeout: 60 seconds
Power-save         : Off           Last Activity  : 0 seconds ago
Apsd DE AC(s)     : NONE

Packets Input      : 7503          Packets Output  : 5787
Bytes Input        : 1288609      Bytes Output   : 5113239
Duplicates Rcvd   : 0             Data Retries   : 4954
Decrypt Failed    : 0             RTS Retries   : 0
MIC Failed        : 0             MIC Missing   : 0
Packets Redirected: 0            Redirect Filtered: 0

Address            : 0023.1256.5573  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : unknown       Software Version: NONE
CCX Version        : NONE         Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0023.7af9.2755  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : ccx-client   Software Version: NONE
CCX Version        : 4             Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0024.36b6.3298  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : unknown       Software Version: NONE
CCX Version        : NONE         Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0025.4b91.6920  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : unknown       Software Version: NONE
CCX Version        : NONE         Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0026.bb09.b5f1  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : unknown       Software Version: NONE
CCX Version        : NONE         Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0026.bb11.8d6d  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1
Device             : unknown       Software Version: NONE
CCX Version        : NONE         Client MFP    : Off

State              : Drv_Add_In   Parent         : self
SSID               : nyuguest      VLAN          : 1232
VLAN               : 1232         Hops to Infra  : 1
Clients Associated: 0            Repeaters associated: 0

Address            : 0026.bb12.6a0e  Name          : NONE
IP Address         : 0.0.0.0      Interface      : Dot11Radio 1

```

```

Device          : unknown           Software Version : NONE
CCX Version    : NONE              Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : 0026.bb17.349a  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : 6033.4b18.1a8b  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : 78ca.39b5.38a2  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : d49a.2070.3ele  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : d8a2.5e92.deb8  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : f81e.dfea.5a73  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Drv_Add_In       Parent          : self
SSID           : nyuguest          Interface       : Dot11Radio 1
VLAN           : 1232              Software Version : NONE
Hops to Infra   : 1                Client MFP      : Off
Clients Associated: 0             Repeaters associated: 0

Address        : 001e.c2b2.c070  Name          : NONE
IP Address     : 0.0.0.0          Interface      : Dot11Radio 1
Device         : unknown          Software Version : NONE
CCX Version    : NONE            Client MFP      : Off

State          : Assoc            Parent          : self
SSID           : nyupda           Interface       : Dot11Radio 1
VLAN           : 1234              Software Version : NONE
Hops to Infra   : 1

```

Clients Associated: 0	Repeaters associated: 0
Address : 0023.7ac8.e732	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : ccx-client	Software Version : NONE
CCX Version : 4	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyupda	
VLAN : 1234	
Hops to Infra : 1	
Clients Associated: 0	Repeaters associated: 0
Address : 0024.36af.5141	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyupda	
VLAN : 1234	
Hops to Infra : 1	
Clients Associated: 0	Repeaters associated: 0
Address : f81e.dfda.3541	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 1
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Drv_Add_In	Parent : self
SSID : nyupda	
VLAN : 1234	
Hops to Infra : 1	
Clients Associated: 0	Repeaters associated: 0
Address : 001d.4fcc.598d	Name : NONE
IP Address : 172.27.52.221	Interface : Dot11Radio 0
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Assoc	Parent : self
SSID : NYU-ROAM3	
VLAN : 1233	
Hops to Infra : 1	
Clients Associated: 0	Repeaters associated: 0
Address : 2ca8.3573.44b8	Name : NONE
IP Address : 172.27.55.14	Interface : Dot11Radio 0
Device : ccx-client	Software Version : NONE
CCX Version : 4	Client MFP : Off
State : Assoc	Parent : self
SSID : NYU-ROAM3	
VLAN : 1233	
Hops to Infra : 1	Association Id : 2
Clients Associated: 0	Repeaters associated: 0
Tunnel Address : 0.0.0.0	
Key Mgmt type : NONE	Encryption : Off
Current Rate : 6.0	Capability : WMM ShortHdr ShortSlot
Supported Rates : 11.0 6.0 9.0 12.0	18.0 24.0 36.0 48.0 54.0
Voice Rates : disabled	Bandwidth : 20 MHz
Signal Strength : -79 dBm	Connected for : 164917 seconds
Signal to Noise : 10 dB	Activity Timeout : -15 seconds
Power-save : On	Last Activity : 195 seconds ago
Apsd DE AC(s) : BK BE VI VO	
Packets Input : 193	Packets Output : 122
Bytes Input : 14975	Bytes Output : 11131
Duplicates Rcvd : 7	Data Retries : 359
Decrypt Failed : 0	RTS Retries : 0
MIC Failed : 0	MIC Missing : 0
Packets Redirected: 0	Redirect Filtered: 0
Address : 58b0.355a.9422	Name : NONE
IP Address : 0.0.0.0	Interface : Dot11Radio 0
Device : unknown	Software Version : NONE
CCX Version : NONE	Client MFP : Off
State : Assoc	Parent : self
SSID : NYU-ROAM3	
VLAN : 1233	
Hops to Infra : 1	
Clients Associated: 0	Repeaters associated: 0

Address	:	5c59.4839.4c35	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	5c59.4845.c8f0	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	5c59.484c.0f34	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	6033.4bdd.69b9	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	7cc5.3763.f614	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	7cc5.377e.16c6	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	9027.e434.64da	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	unknown	Software Version	:	NONE
CCX Version	:	NONE	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	NYU-ROAM3			
VLAN	:	1233			
Hops to Infra	:	1			
Clients Associated:	0		Repeaters associated:	0	
 Address	:	0021.06e8.8861	Name	:	NONE
IP Address	:	0.0.0.0	Interface	:	Dot11Radio 0
Device	:	ccx-client	Software Version	:	NONE
CCX Version	:	4	Client MFP	:	Off
 State	:	Assoc	Parent	:	self
SSID	:	nyuguest			

```
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 307c.301d.082b    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : ccx-client      Software Version : NONE
CCX Version   : 4              Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyuguest        VLAN       : 1232
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 307c.30d1.5377    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : ccx-client      Software Version : NONE
CCX Version   : 4              Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyuguest        VLAN       : 1232
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : cc08.e05c.5c09    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : unknown         Software Version : NONE
CCX Version   : NONE            Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyuguest        VLAN       : 1232
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : cc08.e066.6655    Name        : NONE
IP Address    : 172.30.13.101   Interface   : Dot11Radio 0
Device        : unknown         Software Version : NONE
CCX Version   : NONE            Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyuguest        VLAN       : 1232
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : f81e.df74.de41    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : unknown         Software Version : NONE
CCX Version   : NONE            Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyuguest        VLAN       : 1232
VLAN          : 1232
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 001c.cce3.55a0    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : ccx-client      Software Version : NONE
CCX Version   : 4              Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyupda          VLAN       : 1234
VLAN          : 1234
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : 58b0.356d.17f2    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : unknown         Software Version : NONE
CCX Version   : NONE            Client MFP   : Off

State         : Assoc          Parent      : self
SSID          : nyupda          VLAN       : 1234
VLAN          : 1234
Hops to Infra   : 1
Clients Associated: 0           Repeaters associated: 0

Address       : cc08.e03a.17bd    Name        : NONE
IP Address    : 0.0.0.0         Interface   : Dot11Radio 0
Device        : unknown         Software Version : NONE
```

```

CCX Version      : NONE          Client MFP      : Off
State           : Assoc          Parent          : self
SSID            : nyupda
VLAN            : 1234
Hops to Infra   : 1
Clients Associated: 0          Repeaters associated: 0

Address         : cc08.e042.4d0a  Name          : NONE
IP Address      : 0.0.0.0       Interface      : Dot11Radio 0
Device          : unknown
CCX Version     : NONE          Software Version : NONE
                                         Client MFP      : Off

State           : Assoc          Parent          : self
SSID            : nyupda
VLAN            : 1234
Hops to Infra   : 1
Clients Associated: 0          Repeaters associated: 0

```

----- show wlccp ap mobility traffic -----

----- show wlccp ap mobility forwarding -----

----- show crypto key mypubkey rsa -----

```

% Key pair was generated at: 09:17:22 EDT Oct 8 2010
Key name: ap7e-kimmel.wireless.net.nyu.edu
Usage: General Purpose Key
Key is exportable.
Key Data:
30819F30 0D06092A 864886F7 0D010101 05000381 8D003081 89028181 00CDA925
D39A3B5C 6D8B2905 5800EB3D 84D5FB6D D6DC48F1 22177112 68194713 58F48FB1
BCF2B20C 2D650093 7D9ADB29 1B412D03 CE1E3B2E 365CD59B CBD915E8 F06E88EE
B0CEB017 A103641B 17A69504 6F477FA2 4863686A E71493E3 4C0CCDEE 02D6F76D
469C96A9 3F3BD0B2 786F9755 108EEFDF 95A02133 F812FA21 B29A91CF AF020301 0001
% Key pair was generated at: 10:20:44 EDT Oct 14 2010
Key name: ap7e-kimmel.wireless.net.nyu.edu.server
Usage: Encryption Key
Key is not exportable.
Key Data:
307C300D 06092A86 4886F70D 01010105 00036B00 30680261 009D00D5 F8A3132A
B7CA6372 4480085B 7D2F0F89 8D272979 3EF0C14 230AD688 AF3E2F24 F0F71B24
D319F489 924666C8 21DA4DD7 8679C954 9B160C09 3A689006 E5ED5DBB C57A195F
478ED06D 05205BEF 817C3084 3E88CF61 61A42EB9 9D114229 AB020301 0001

```

----- show inventory -----

```

NAME: "AP1140", DESC: "Cisco Aironet 1140 Series (IEEE 802.11n) Access Point"
PID: AIR-LAP1142N-A-K9 , VID: V03, SN: FTX1418S209

```

----- Mempool statistics -----

	Head	Total(b)	Used(b)	Free(b)	Lowest(b)	Largest(b)
Processor	D833C4	86484028	7642264	78841764	77602332	77396044
I/O	6000000	16777216	6118328	10658888	10491636	10658888
I/O	7000000	16777216	12036	16765180	16765180	16765128

----- Top 100 allocator pc summary -----

Allocator PC Summary for: Processor

PC	Total	Count	Name
0x000FDE44	2086200	2318	*Packet Header*
0x001AD2B8	779096	98	Process Stack
0x001B25E0	393528	6	MallocLite
0x005130CC	318312	2	802.11 driver Instance
0x0056365C	196764	3	Dot11 Mgmt Sta
0x00514304	196588	1	Init
0x00312A98	170884	17	Flashfs Sector
0x0019628C	147924	9	TW Buckets
0x00875160	88736	1163	Init
0x0021EDC8	87264	72	TCP CB
0x00197064	85640	2	pak subblock chunk
0x0052FA90	78156	1	dot11drvrv clie
0x0043BFE8	77252	1	Spanning Tree Opt Port Block

0x0007E89C	74868	17 TTY data
0x001755DC	73344	96 Process
0x001C1E34	65588	1 Memory RO RU Chunks
0x001C1F78	65588	1 Memory RO RU Index Chunks
0x001A7908	65588	1 CPU RO RU Chunks
0x0011B700	65588	1 Buffer RO RU Chunks
0x0011B728	65588	1 Buffer RU Notify Chunks
0x0011B410	65588	1 Buffer Display Chunks
0x0009F0C0	65588	1 Parseinfo Blocks
0x00137644	65588	1 IDB List Element Chunks
0x00535654	65588	1 dot11drvrv clients
0x00553C04	65588	1 Dot11 Pmkid Record Chunks
0x00564A14	65588	1 Dot11 Mgmt Station Chunk
0x0001449C	65588	1 AAA DB Chunk
0x005B4858	65588	1 Dot11 Network Map Chunk
0x0017D54C	62364	227 Init
0x00495778	60076	1 BTE Entries
0x00531074	56796	27 dot11drvrv asso
0x00090648	49628	3 Init
0x000DD038	49204	1 HTTP CP
0x001828D8	40104	2 RMI-RO_RU Chun
0x005419CC	39952	110 AAA Interface Struct
0x000F5EA0	32824	1 Init
0x0009F138	32820	1 Parse Nodes
0x00513BF4	32820	1 dot11 call control events data
0x005668C	32820	1 Dot11 Mgmt SSID Chunk
0x00566BC4	32820	1 Dot11 Mgmt SSID Config. Chunk
0x0002A414	32820	1 AAA SG ID table
0x0015AF48	32820	1 AAA mlist ID table
0x00480ED8	32820	1 .1Q[Tree Nodes]
0x004949C0	32508	7 tbridgetype
0x005E2A6C	26716	2 dot11 auth client chunk
0x0009A630	26452	1 PM Event Pool
0x00107E74	25460	19 *Software IDB*
0x0050E164	24192	24 Dot11 driver
0x00541898	22968	22 Dot11 Mgmt & Assoc Input Process
0x0049E970	22596	21 SMF filter
0x00192B3C	21364	7 Keepalive
0x0016DDD4	20104	2 List Elements
0x000A46F4	20056	262 Parser Linkage
0x001C2CB0	20052	1 Managed Chunk Queue Elements
0x00181138	20052	1 RMI-RO_RU Chunks
0x00181160	20052	1 RMI-RO_RG Chunks
0x0018127C	20052	1 RMI-RU Chunks
0x005C06C4	20052	1 wlan_ip_mcast_record
0x00018694	20052	1 AAA Acct DB chunk
0x000E889C	19732	1 Init
0x001784AC	19016	96 Process Events
0x00106F4C	17832	6 *Hardware IDB*
0x0049EB3C	17488	215 SMF entry
0x007ADF1C	17280	16 Index Table Block
0x003C156C	16704	1 SNMP trapObjectSyntax Pool
0x007E88E8	16072	2 Marvell specific structure members
0x00177B64	12040	2 Watched Semaph
0x003129B4	11400	150 soap_flash init
0x00375CE0	10432	2 dhcpc_lq_chunk
0x0017D100	10260	5 Reg Function 1
0x0016F270	10052	1 List Elements
0x0017AA98	10052	1 Watched Queue
0x0017AAC0	10052	1 Watched Boolean
0x0017AAE8	10052	1 Watched Bitfield
0x001812E4	10052	1 RMI-RG Chunks
0x00103B68	10052	1 Packet Elements Cache
0x00103B94	10052	1 Packet Elements
0x002CB3BC	10052	1 Pathents for parsing
0x002CB3E4	10052	1 TTY Pathents for parsing
0x00317D98	10052	1 Flashfs Sector Pointers
0x005356E4	10052	1 dot11 cc info
0x00155C58	10052	1 AAA chunk
0x005BF7AC	10052	1 wlan_ip_mcast_host
0x005BF7E8	10052	1 wlan_ip_mcast_domain
0x002A9E94	10052	1 IPTTRACE probe chunks
0x003C880C	10052	1 SNMP SMALL CHUNK
0x003C8854	10052	1 SNMP MEDIUM CHUNK
0x002C33B8	10052	1 Time Range Entry Chunks
0x000E7EFC	10052	1 Init
0x000E7F34	10052	1 Init
0x005E757C	10052	1 DDP UDP tx Chunk
0x0001A598	10052	1 AAA Acct Rec chunk
0x0034220C	10052	1 Resp. Wait Chunks
0x00480FOC	10052	1 .1Q[Tree Headers]
0x00480F40	10052	1 .1Q[Array Headers]
0x000E891C	9920	80 Init
0x0036A0B0	9652	1 NET ACCT LISTS

0x0036A0EC	9652	1	SYS ACCT LISTS
0x0003A72C	8852	1	PPP ACC LISTS
0x004FFC70	8680	2	Init

Allocator PC Summary for: I/O

PC	Total	Count	Name
0x000FDE94	6118276	2317	*Packet Data*

Allocator PC Summary for: I/O

PC	Total	Count	Name
0x007E8944	7248	2	marvell firmware
0x005CD82C	2152	2	ether bd
0x007E8958	1240	2	marvell cmd log 0
0x007E896C	1240	2	marvell cmd log 1

----- show region -----

Region Manager:

Start	End	Size(b)	Class	Media	Name
0x00000000	0x05FFD7FF	100653056	Local	R/W	main
0x00004000	0x008CFFFF	9224192	IText	R/W	main:text
0x008D0000	0x00BC3B6F	3095408	IData	R/W	main:data
0x00BC3B70	0x00D833BF	1833040	IBss	R/W	main:bss
0x00D833C4	0x05FFD7FF	86484028	Local	R/W	main:heap
0x06000000	0x06FFFFFF	16777216	Iomem	R/W	iomem
0x07000000	0x07FFFFFF	16777216	Iomem	R/W	iomem2

Free Region Manager:

Start	End	Size(b)	Class	Media	Name
-------	-----	---------	-------	-------	------

----- show buffers -----

Buffer elements:

1100 in free list (1119 max allowed)
8227901 hits, 0 misses, 619 created

Public buffer pools:

Small buffers, 104 bytes (total 128, permanent 128):
119 in free list (20 min, 256 max allowed)
2767489 hits, 0 misses, 0 trims, 0 created
0 failures (0 no memory)
Middle buffers, 600 bytes (total 128, permanent 128, peak 335 @ 1d22h):
107 in free list (10 min, 256 max allowed)
3023854 hits, 93 misses, 251 trims, 251 created
0 failures (0 no memory)
Big buffers, 1536 bytes (total 128, permanent 128):
128 in free list (5 min, 256 max allowed)
180321 hits, 0 misses, 0 trims, 0 created
0 failures (0 no memory)
VeryBig buffers, 4520 bytes (total 256, permanent 256):
255 in free list (0 min, 256 max allowed)
4126 hits, 0 misses, 0 trims, 0 created
0 failures (0 no memory)
Large buffers, 5024 bytes (total 0, permanent 0):
0 in free list (0 min, 5 max allowed)
0 hits, 0 misses, 0 trims, 0 created
0 failures (0 no memory)
Huge buffers, 18024 bytes (total 0, permanent 0):
0 in free list (0 min, 2 max allowed)
0 hits, 0 misses, 0 trims, 0 created
0 failures (0 no memory)

Interface buffer pools:

Wlan Pool buffers, 2500 bytes (total 1677, permanent 1677):
573 in free list (0 min, 1677 max allowed)
265937 hits, 0 fallbacks
838 max cache size, 648 in cache
146538552 hits in cache, 0 misses in cache

Header pools:

