

```
!
version 12.3
no service pad
service timestamps debug datetime msec
service timestamps log datetime msec
no service password-encryption
!
hostname DAXAP01
!
enable secret 5 $1$8KOS$A/g1LkrPK1vaPK2FYvYgE0
!
led display alternate
ip subnet-zero
!
!
no aaa new-model
!
dot11 ssid Daxko Private
    vlan 21
    authentication open
    authentication key-management wpa
    wpa-psk ascii 0 jar7trUqum3z5zakeV
!
dot11 ssid Daxko Public
    vlan 10
    authentication open
    authentication key-management wpa
    guest-mode
    wpa-psk ascii 0 daxguest
!
power inline negotiation prestandard source
!
!
username admin privilege 15 password 7 0650042E1E49591153
!
bridge irb
!
!
interface Dot11Radio0
    no ip address
    no ip route-cache
!
    encryption vlan 1 mode ciphers tkip
!
    encryption vlan 10 mode ciphers tkip
!
```

```
encryption vlan 21 mode ciphers tkip
!
ssid Daxko Private
!
ssid Daxko Public
!
speed basic-1.0 basic-2.0 basic-5.5 6.0 9.0 basic-11.0 12.0
18.0 24.0 36.0 48.0 54.0
station-role root
!
interface Dot11Radio0.1
  encapsulation dot1Q 1 native
  no ip route-cache
  bridge-group 1
    bridge-group 1 subscriber-loop-control
    bridge-group 1 block-unknown-source
    no bridge-group 1 source-learning
    no bridge-group 1 unicast-flooding
    bridge-group 1 spanning-disabled
!
interface Dot11Radio0.10
  encapsulation dot1Q 10
  no ip route-cache
  bridge-group 10
    bridge-group 10 subscriber-loop-control
    bridge-group 10 block-unknown-source
    no bridge-group 10 source-learning
    no bridge-group 10 unicast-flooding
    bridge-group 10 spanning-disabled
!
interface Dot11Radio0.21
  encapsulation dot1Q 21
  no ip route-cache
  bridge-group 21
    bridge-group 21 subscriber-loop-control
    bridge-group 21 block-unknown-source
    no bridge-group 21 source-learning
    no bridge-group 21 unicast-flooding
    bridge-group 21 spanning-disabled
!
interface Dot11Radio1
  no ip address
  no ip route-cache
!
encryption vlan 1 mode ciphers tkip
!
```

```
encryption vlan 10 mode ciphers tkip
!
encryption vlan 21 mode ciphers tkip
!
ssid Daxko Private
!
ssid Daxko Public
!
dfs band 3 block
speed basic-6.0 9.0 basic-12.0 18.0 basic-24.0 36.0 48.0 54.0
channel dfs
station-role root
!
interface Dot11Radio1.1
encapsulation dot1Q 1 native
no ip route-cache
bridge-group 1
bridge-group 1 subscriber-loop-control
bridge-group 1 block-unknown-source
no bridge-group 1 source-learning
no bridge-group 1 unicast-flooding
bridge-group 1 spanning-disabled
!
interface Dot11Radio1.10
encapsulation dot1Q 10
no ip route-cache
bridge-group 10
bridge-group 10 subscriber-loop-control
bridge-group 10 block-unknown-source
no bridge-group 10 source-learning
no bridge-group 10 unicast-flooding
bridge-group 10 spanning-disabled
!
interface Dot11Radio1.21
encapsulation dot1Q 21
no ip route-cache
bridge-group 21
bridge-group 21 subscriber-loop-control
bridge-group 21 block-unknown-source
no bridge-group 21 source-learning
no bridge-group 21 unicast-flooding
bridge-group 21 spanning-disabled
!
interface FastEthernet0
no ip address
no ip route-cache
```

```
duplex auto
speed auto
hold-queue 160 in
!
interface FastEthernet0.1
  encapsulation dot1Q 1 native
  no ip route-cache
  bridge-group 1
    no bridge-group 1 source-learning
    bridge-group 1 spanning-disabled
!
interface FastEthernet0.10
  encapsulation dot1Q 10
  no ip route-cache
  bridge-group 10
    no bridge-group 10 source-learning
    bridge-group 10 spanning-disabled
!
interface FastEthernet0.21
  encapsulation dot1Q 21
  no ip route-cache
  bridge-group 21
    no bridge-group 21 source-learning
    bridge-group 21 spanning-disabled
!
interface BVI1
  ip address 10.0.0.3 255.255.255.0
  no ip route-cache
!
ip default-gateway 10.0.0.1
ip http server
no ip http secure-server
ip http help-path http://www.cisco.com/warp/public/779/smbiz/
prodconfig/help/eag
!
!
control-plane
!
bridge 1 route ip
!
!
!
line con 0
line vty 0 4
  login local
!
```

end