



Contact information:

Name
Title
Department

Phone
Web/Fax
E-mail

Name
Title
Department

Phone
Web/Fax
E-mail

JABRA - CISCO COMPATIBILITY GUIDE

COMPATIBILITY OVERVIEW FOR
CISCO



jabra.com/cisco



PROFESSIONAL HEADSETS

STAY IN TOUCH THROUGHOUT THE OFFICE

JABRA BIZ™ 2400 SERIES – 10X BETTER

- Superior audio with Neodymium speakers
- Gold contacts for crystal-clear voice transmission
- Break-proof boom with 360-degree rotation
- Surgical steel for maximum strength
- Kevlar reinforced cord
- Supersoft ear cushions and a choice of three wearing styles
- Clothing clip with ID tag
- 3-year warranty

JABRA GO™ 6400 SERIES – STAY IN TOUCH WHEREVER YOU GO

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: mobile phone, softphone and desk phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 100 m / 300 ft wireless Bluetooth® range (25 m / 80 ft for mobile phone)¹

JABRA PRO™ 9400 SERIES – STAY IN TOUCH AROUND THE OFFICE

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: desk phone, softphone and mobile phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™ or Noise-cancelling microphone variants
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 150 m / 450 ft wireless range¹

DID YOU KNOW?

Ready for Unified Communications (UC). Jabra UC-ready headsets offer true wideband sound and plug-and-play capability with UC systems from leading Jabra suppliers. Learn more at: www.jabra.com/uc



Image shows the Jabra BIZ™ 2400 USB with Bluetooth® connection.



Image shows the Jabra GO™ 6470 with base station and touch screen.



Image shows the Jabra PRO™ 9470 with dual microphone Noise Blackout technology.

CUSTOMIZED

FOUR SIMPLE STEPS TO THE BEST HEADSET SELECTION FOR YOUR CUSTOMERS

1. WHAT IS YOUR PREDOMINANT WORK ENVIRONMENT?




- ### ADVANTAGES OF WIRELESS HEADSETS
- Better freedom of movement
 - Accepting calls while away from the workstation
 - Privacy option for difficult calls
 - Built-in narrowband and wideband audio feature

2. IN WHICH ENVIRONMENT WILL YOU BE USING THE HEADSET?



- ### HEADSETS WILL HELP OPTIMIZE YOUR WORK ENVIRONMENT BECAUSE THEY ...
- Protect you from sudden noise peaks
 - Keep the reception volume under 85 dB
 - Lower the noise level in the office
 - Filter background noises
 - Offer the best voice and sound quality


3. HOW MANY PEOPLE SHARE YOUR OFFICE?



- ### MONO HEADSETS
- Best choice for quiet/moderate noise office environments
 - Interchangeable with three wearing styles
 - Does not shield external noise completely
 - Conversation with colleagues is possible

- ### DUO HEADSETS
- Best solution for noisy office environments
 - Lower the noise level
 - Hearing quality increases
 - Ability to concentrate improves

4. WHAT DEVICES WILL BE CONNECTED TO THE HEADSET?



- ### ADVANTAGES OF HEADSETS
- Future-proof thanks to seamless connection to all devices
 - Interface between conventional desk phone, IP-based PC telephony and mobile phone
 - Hands-free conversations
 - Strain relief for shoulder and neck muscles
 - More flexibility and fun while working
 - A professional appearance

¹ Range varies according to the environment in which the headset is used

HEADSETS WITH SEAL OF APPROVAL

Certifications are a recognised quality feature for all products. They not only guarantee compliance with manufacturer-specific standards, but also ensure the availability of additional functionality

PARTNERSHIP AND TECHNOLOGY PARTNER STATUS



AS INDIVIDUAL AS YOU ARE

Three different wearing styles offer flexibility and comfort

HEADBAND



NECKBAND



EARHOOK



WIRELESS SOLUTIONS FOR CISCO PHONES

1 SELECT AN EXISTING PHONE	Unified IP Phone 7942 G / 7965 G	Unified IP Phone 7962 G / 7965 G	Unified IP Phone 7975 G	Unified IP Phone 7902 / 7905 7911 / 7912	Unified IP Phone 7940 / 7940 G 7941 / 7960 7960 G / 7961 7970 / 7970 G 7971 G	Unified IP phone 6901 / 6911 6921 / 6941 6945 / 6961	Unified IP Phone 7931	Unified IP Phone 8941 8945 Cisco CIUS with phone dock	Cisco CIUS Unified IP Phone 8945	Unified IP Phone 8961 / 9951 / 9971	VXC 6215	Cisco Jabber Cisco Jabber for Mac	CUPC CUCILync WebEx Connect ³	Cisco IP Communicator (CIPC)
2 LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS	 Jabra EHS Adapter 83 Jabra LINK 14201-16	 Jabra EHS Adapter 87 Jabra LINK 14201-22			 RHL possible using 108 Jabra GN1000			EHS possible. via bluetooth connection		 Jabra EHS Adapter 88 Jabra LINK 14201-30 EHS possible. This connection is via the phone USB port	Audio only. No RCC.	Audio only. No RCC.	RCC with Jabra PC Suite.	RCC with Jabra PC Suite from CIPC version 2.0.1.1 RCC without Jabra PC Suite for CIPC version 7.0(3) or higher
3 MATCHING HEADSET	<ul style="list-style-type: none"> 10 Jabra PRO 920 14 Jabra GN9350e 15 Jabra GN9120 Flex 16 Jabra GN9120 Flex Duo 19 Jabra GN9120 Midi 21 Jabra GN9120 Micro 	<ul style="list-style-type: none"> 1 Jabra PRO 9470 2 Jabra PRO 9465 3 Jabra PRO 9460 4 Jabra PRO 9460 Duo 5 6 7 Jabra PRO 9450 8 Jabra GO 6470 	<ul style="list-style-type: none"> 1 Jabra PRO 9470 2 Jabra PRO 9465 3 Jabra PRO 9460 4 Jabra PRO 9460 Duo 5 6 7 Jabra PRO 9450 8 Jabra GO 6470 	<ul style="list-style-type: none"> 10 Jabra PRO 920 14 Jabra GN9350e 17 Jabra GN9120 Flex 18 Jabra GN9120 Flex Duo 20 Jabra GN9120 Midi 22 Jabra GN9120 Micro 	<ul style="list-style-type: none"> 1 Jabra PRO 9470 2 Jabra PRO 9465 8 Jabra GO 6470 9 Jabra GO 6430 12 Jabra Supreme UC 	<ul style="list-style-type: none"> 1 Jabra PRO 9470² 2 Jabra PRO 9465² 3 Jabra PRO 9460² 4 Jabra PRO 9460 Duo² 5 6 7 Jabra PRO 9450 8 Jabra GO 6470² 9 Jabra GO 6430^{2,4} 10 Jabra PRO 920 11 Jabra PRO 930⁴ 12 Jabra Supreme UC⁴ 14 Jabra GN9350e 	<ul style="list-style-type: none"> 1 Jabra PRO 9470 2 Jabra PRO 9465 3 Jabra PRO 9460 4 Jabra PRO 9460 Duo 5 6 7 Jabra PRO 9450 8 Jabra GO 6470 9 Jabra GO 6430 11 Jabra PRO 930 12 Jabra Supreme UC 14 Jabra GN9350e 							

MEANING OF ARROW COLOURS

- EHS HEADSET
Call acceptance is possible directly from the headset (Electronic Hook Switch)
- STANDARD HEADSET
The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)
- VOIP Softphone.
Headsets for use with computers or VoIP softphones

WIRELESS SOLUTIONS FOR CISCO SPA PHONES

1 SELECT AN EXISTING PHONE	SPA 303	SPA 501G / SPA 502G SPA 504G / SPA 508G SPA 509G	SPA 512G / SPA 514G	SPA 525G SPA 525G ²	SPA 921 SPA 922 SPA 941 SPA 942 SPA 962
2 LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS		 RHL possible using 108 Jabra GN1000	OR	 112 Connector cable (RJ9-Jack 2,5mm)	
3 MATCHING HEADSET		<ul style="list-style-type: none"> 1 Jabra PRO 9470 2 Jabra PRO 9465 3 Jabra PRO 9460 4 Jabra PRO 9460 Duo 	<ul style="list-style-type: none"> 5 6 7 Jabra PRO 9450 8 Jabra GO 6470 10 Jabra PRO 920 14 Jabra GN9350e 		<ul style="list-style-type: none"> 17 Jabra GN9120 Flex 18 Jabra GN9120 Flex Duo 20 Jabra GN9120 Midi 22 Jabra GN9120 Micro

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port
² Required software version: Minimum Value Pack 2 - Value Pack 2 and Value Pack 3 can be downloaded via Jabra PC Suite
³ Jabra PC Suite provides call control for Cisco Unified Personal Communication (CUPC), Cisco Unified Communication Integration for Microsoft® Office Communicator (CUCIMOC), Cisco Unified Communication Integration for Microsoft® Lync™ (CUCILync) and Cisco WebEx Connect 7.1.1 or higher. In addition, Cisco IP Communicator 7.0(3) and later incorporates a "Plug and Play" driver for Jabra USB headsets and speakerphone
⁴ No EHS adapter required
⁵ SPA525G2 also has Bluetooth connection. EHS possible with Jabra Bluetooth headsets no adapter cord required

CORDED SOLUTIONS FOR CISCO PHONES



1 SELECT AN EXISTING PHONE	Unified IP Phone 6921 6941 6945 6961	Unified IP Phone 7931 / 7940 7940 G / 7941 7942 G / 7945 G 7962 G / 7965 G	Unified IP Phone 7960 / 7960 G 7961 7970 / 7970 G 7971G / 7975G	Unified IP Phone 8945 Cisco CIUS with phone dock	Unified IP Phone 8961 9951 9971	Unified IP Phone 6911 6901	Unified IP Phone 7902	Unified IP Phone 7905 7911 7912	Cisco Wireless IP Phone (WLAN) 7920 7921G 7925G 7926G	Cisco CIUS	VXC 6215	Cisco Jabber Cisco Jabber for Mac	Cisco IP Communicator (CIPC)	CUPC CUCILync WebEx Connect ³	Unified IP Phone 8961 9951 9971											
2 LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS	<p>Amplifier 100 Jabra GN8000 or 101 Jabra GN8210</p>		<p>104 Jabra GN1200</p>		<p>97 Jabra LINK 850 (QD-USB)</p>		<p>Amplifier 100 Jabra GN8000 or 101 Jabra GN8210</p>		<p>106 Jabra GN DanaSwitch + 104 Jabra GN1200</p>		<p>97 Jabra LINK 850 (QD-USB)</p>		<p>116 Connector cable⁶ (QD-2,5mm Jack)</p>		<p>115 Connector cable (QD-3,5mm Jack)</p>		<p>Audio only. No RCC.</p>		<p>Audio only. No RCC.⁵</p>		<p>RCC with Jabra PC Suite from CIPC version 2.0.1.1 Jabra PC Suite is not needed for CIPC version 7.0(3) or higher</p>		<p>RCC with Jabra PC Suite</p>		<p>Remote call control is possible with Jabra BIZ 2400 USB Jabra GN2000 USB Jabra UC Voice 550 or Jabra LINK 280 No additional drivers needed.¹</p>	
3 MATCHING HEADSET					<p>27 28 29 30 Jabra BIZ 2400 35 36 37 38 Jabra GN2100 39 40 41 42 Jabra GN2000² 49 50 Jabra BIZ 1900 Duo</p>								<p>31 32 Jabra BIZ 2400 USB 43 44 45 46 Jabra GN2000 USB³ 51 52 Jabra BIZ 1900 USB⁴ 65 66 Jabra UC VOICE 550</p>		<p>61 62 63 64 Jabra UC VOICE 750 68 69 Jabra UC VOICE 150⁵ 67 Jabra UC VOICE 250⁵ 75 Jabra DIAL 520 MS 76 Jabra SPEAK 410</p>											

MEANING OF ARROW COLOURS

- EHS HEADSET**
Call acceptance is possible directly from the headset (Electronic Hook Switch)
- STANDARD HEADSET**
The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)
- VOIP Softphone.**
Headsets for use with computers or VoIP softphones

CORDED SOLUTIONS FOR CISCO SPA PHONES



1 SELECT AN EXISTING PHONE	SPA 303	SPA 501G / SPA 502G SPA 504G / SPA 508G SPA 509G	SPA 512G / SPA 514G	SPA 525G SPA 525G2	SPA 921 SPA 922 SPA 941 SPA 942 SPA 962
2 LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS	<p>110 Connector cable (QD-Jack 2,5mm)</p>				
3 MATCHING HEADSET	<p>27 28 29 30 Jabra BIZ 2400</p>		<p>35 36 37 38 Jabra GN2100</p>		<p>39 40 41 42 Jabra GN2000</p>

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port and simultaneous PC operation is not possible. USB cable is included with the headset
² Jabra PC Suite provides call control for Cisco Unified Personal Communication (CUPC), Cisco Unified Communication Integration for Microsoft® Office Communicator (CUCIMOC), Cisco Unified Communication Integration for Microsoft® Lync™ (CUCILync) and Cisco WebEx Connect 7.1.1 or higher. In addition, Cisco IP Communicator 7.0(3) and later incorporates a "Plug and Play" driver for Jabra USB headsets and speakerphone
³ RCC with Jabra PC Suite from CIPC version 2.0.1.1. Jabra PC Suite is not needed for CIPC version 7.0(3) or higher
⁴ No RCC, only volume and mute control
⁵ Jabra UC VOICE™ 150 and Jabra UC VOICE™ 250 are not compatible with Cisco Jabber for Mac
⁶ 7925G and 7926G have Bluetooth connection and all Jabra Bluetooth products will work on these phones



WIRELESS SOLUTIONS FOR CISCO PHONES



JABRA MODEL	1 Jabra PRO™ 9470	2 Jabra PRO™ 9465	3 Jabra PRO™ 9460 Mono 4 Jabra PRO™ 9460 Duo	5 Jabra PRO™ 9450	6 Jabra PRO™ 9450 Mono 7 Jabra PRO™ 9450 Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Blackout™/ MidiBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ MidiBoom	Noise Cancelling/ FlexBoom
SPEAKERS	Mono	Duo	Mono/Duo	Mono	Mono/Duo



JABRA MODEL	8 Jabra GO™ 6470	9 Jabra GO™ 6430	10 Jabra PRO™ 920	11 Jabra PRO™ 930	14 Jabra GN9350e
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Blackout™	Noise Blackout™	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed
SPEAKERS	Mono	Mono	Mono	Mono	Mono



JABRA MODEL	15 Jabra GN9120 Mono, EHS 16 Jabra GN9120 Duo, EHS	17 Jabra GN9120 Mono 18 Jabra GN9120 Duo	19 Jabra GN9120, EHS	20 Jabra GN9120	21 Jabra GN9120, EHS
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Filtering/ MidiBoom	Noise Filtering/ MidiBoom	Omni Directional/ MicroBoom
SPEAKERS	Mono/Duo	Mono/Duo	Mono	Mono	Mono



JABRA MODEL	22 Jabra GN9120	12 Jabra Supreme UC
CONNECTIVITY/ NOISE ENVIRONMENT		
MICROPHONE/ BOOM ARM	Omni Directional/ MicroBoom	Noise Blackout™
SPEAKERS	Mono	Mono

CORDED SOLUTIONS FOR CISCO PHONES



JABRA MODEL	27 Jabra BIZ™ 2400 Mono 29 Jabra BIZ™ 2400 Duo	28 Jabra BIZ™ 2400 Mono 30 Jabra BIZ™ 2400 Duo	31 Jabra BIZ™ 2400 USB Mono 32 Jabra BIZ™ 2400 USB Duo	35 Jabra GN2100 Mono 36 Jabra GN2100 Duo	37 Jabra GN2100 Mono 38 Jabra GN2100 Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Omni Directional/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Omni Directional/ MicroBoom	Noise Cancelling/ FlexBoom
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo



JABRA MODEL	39 Jabra GN2000 Mono 40 Jabra GN2000 Duo	41 Jabra GN2000 Mono 42 Jabra GN2000 Duo	43 Jabra GN2000 USB Mono 44 Jabra GN2000 USB Duo	45 Jabra GN2000 USB CIPC Mono 46 Jabra GN2000 USB CIPC Duo	49 Jabra BIZ™ 1900 Mono 50 Jabra BIZ™ 1900 Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Omni Directional/ SoundTube	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo



JABRA MODEL	51 Jabra BIZ™ 1900 USB Mono 52 Jabra BIZ™ 1900 USB Duo	61 Jabra UC VOICE™ 750 Mono Light 64 Jabra UC VOICE™ 750 Duo Light	62 Jabra UC VOICE™ 750 Mono Dark 63 Jabra UC VOICE™ 750 Duo Dark	65 Jabra UC VOICE™ 550 Mono 66 Jabra UC VOICE™ 550 Duo	67 Jabra UC VOICE™ 250
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Cancelling	Noise Cancelling	Noise Cancelling	Noise Cancelling	Noise Cancelling
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Duo



JABRA MODEL	68 Jabra UC VOICE™ 150 Mono 69 Jabra UC VOICE™ 150 Duo	75 Jabra DIAL™ 520 MS	76 Jabra SPEAK™ 410
CONNECTIVITY/ NOISE ENVIRONMENT			
MICROPHONE/ BOOM ARM	Noise Cancelling	Omni Directional	Omni Directional
SPEAKERS	Mono/Duo	Mono	Mono

¹ Connects to IP desk phone via USB

ORDERING INFORMATION

WIRELESS SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra PRO™ 9470	NB	1	9470-26-904-101	9470-26-904-102	9470-66-904-105	9470-26-904-102 or -103
Jabra PRO™ 9465	NC Duo	2	9465-29-804-101	9465-29-804-102	9465-69-804-105	9465-29-804-102 or -103
Jabra PRO™ 9460	NC Mono	3	9460-25-707-101	9460-25-707-102	9460-65-707-105	9460-25-707-102 or -103
Jabra PRO™ 9460 Duo	NC Duo	4	9460-29-707-101	9460-29-707-102	9460-69-707-105	9460-29-707-102 or -103
Jabra PRO™ 9450	NC Mono Midi	5	9450-25-507-101	9450-25-507-102	9450-65-507-105	9450-25-507-102 or -103
Jabra PRO™ 9450 Flex	NC Mono Flex	6	9450-25-707-101	9450-25-707-102	9450-65-707-105	9450-25-707-102 HK/SG; -103 AU/NZ; -106 JP
Jabra PRO™ 9450 Duo	NC Duo Flex	7	9450-29-707-101	9450-29-707-102	9450-69-707-105	9450-29-707-102 or -103
Jabra GO™ 6470	NB	8	6470-15-207-501	6470-15-207-502	6470-15-207-505	6470-15-207-502 HK/SG; -503 AU/NZ; -505 JP; -506 PRC; -507 KR
Jabra GO™ 6430	NB	9	6430-17-20-201	6430-17-20-201	6430-17-20-205	6430-17-20-202 HK/SG; -203 AU/NZ; -205 JP; -206 PRC; -207 KR
Jabra PRO™ 920	NC	10	920-25-508-101	920-25-508-102	920-55-508-105	920-25-508-102 or -103
Jabra PRO™ 930	NC	11	930-25-509-101	930-25-509-102	930-65-509-105	930-25-509-102 or -103
Jabra Supreme UC	NB	12	5078-230-301	5078-230-302	5078-230-305	5078-230-303 AU/NZ; 385 HK/SG
Jabra GN9350e	NC	14	9356-607-401	9356-607-402	9326-607-405	9356-607-401 EU; 403 AU/NZ; 402 HK/SG
Jabra GN9120 FLEX	NC Mono EHS (cable incl.)	15	9120-28-11	9120-28-11	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo EHS (cable incl.)	16	9129-808-111	N/A	9129-808-215	N/A
Jabra GN9120 FLEX	NC Mono	17	9120-28-01	9120-28-02	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo	18	9129-808-101	9129-808-101	9129-808-215	N/A
Jabra GN9120 MIDI	OD EHS (cable incl.)	19	9120-48-11	9120-48-11	9125-48-15	N/A
Jabra GN9120 MIDI	OD	20	9120-48-01	9120-48-02	9125-48-15	N/A
Jabra GN9120 MICRO	OD EHS (cable incl.)	21	9120-30-11	9120-30-11	9125-30-15	N/A
Jabra GN9120 MICRO	OD	22	9120-30-01	9120-30-02	9125-30-15	N/A

CORDED SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra BIZ™ 2400	OD Mono	27	2406-320-104	2406-320-104	2403-320-105	2403-320-105
Jabra BIZ™ 2400	NC Mono	28	2406-820-104	2406-820-104	2403-820-105	2403-820-105
Jabra BIZ™ 2400	OD Duo	29	2409-320-104	2409-320-104	2409-320-105	2409-320-105
Jabra BIZ™ 2400	NC Duo	30	2409-820-104	2409-820-104	2409-820-105	2409-820-105
Jabra BIZ™ 2400 USB	NC Mono	31	2496-829-104	2496-829-104	2496-829-105	2496-829-105
Jabra BIZ™ 2400 USB	NC Duo	32	2499-829-104	2499-829-104	2499-829-105	2499-829-105
Jabra GN2100	OD Mono	35	2126-02-04	2126-02-04	01-0241	N/A
Jabra GN2100	OD Duo	36	2129-02-04	2129-02-04	01-0245	N/A
Jabra GN2100	NC Mono	37	2126-82-04	2126-82-04	01-0243	N/A
Jabra GN2100	NC Duo	38	2129-82-04	2129-82-04	01-0247	N/A
Jabra GN2000	OD Mono	39	2003-320-104	2003-320-104	2003-320-105	2003-320-103
Jabra GN2000	OD Duo	40	2009-320-104	2009-320-104	2009-320-105	2009-320-103
Jabra GN2000	NC Mono	41	2003-820-104	2003-820-104	2003-820-105	2003-820-103
Jabra GN2000	NC Duo	42	2009-820-104	2009-820-104	2009-820-105	2009-820-103
Jabra GN2000 USB	NC Mono	43	20001-432	20001-432	20001-432	20001-432
Jabra GN2000 USB	NC Duo	44	20001-492	20001-492	20001-492	20001-492
Jabra GN2000 USB	NC Mono CIPC	45	20001-436	20001-436	20001-436	20001-436
Jabra GN2000 USB	NC Duo CIPC	46	20001-496	20001-496	20001-496	20001-496

CORDED SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra BIZ™ 1900	NC Mono	49	1983-820-104	1983-820-104	1983-820-105	1983-820-105
Jabra BIZ™ 1900	NC Duo	50	1989-820-104	1989-820-104	1989-820-105	1989-820-105
Jabra BIZ™ 1900 USB	NC Mono	51	1983-829-104	1983-829-104	1983-829-107	1983-829-107
Jabra BIZ™ 1900 USB	NC Duo	52	1989-829-104	1989-829-104	1989-829-107	1989-829-107
Jabra UC VOICE™ 750	NC Mono Light	61	7593-829-209	7593-829-209	7593-829-209	7593-829-209
Jabra UC VOICE™ 750	NC Mono Dark	62	7593-829-409	7593-829-409	7593-829-409	7593-829-409
Jabra UC VOICE™ 750	NC Duo Dark	63	7599-829-409	7599-829-409	7599-829-409	7599-829-409
Jabra UC VOICE™ 750	NC Duo Light	64	7599-829-209	7599-829-209	7599-829-209	7599-829-209
Jabra UC VOICE™ 550	NC Mono	65	5593-829-209	5593-829-209	5593-829-209	5593-829-209
Jabra UC VOICE™ 550	NC Duo	66	5599-829-209	5599-829-209	5599-829-209	5599-829-209
Jabra UC VOICE™ 250	NC Mono	67	2507-829-209	2507-829-209	2507-829-209	2507-829-209
Jabra UC VOICE™ 150	NC Mono	68	1593-829-209	1593-829-209	1593-829-209	1593-829-209
Jabra UC VOICE™ 150	NC Duo	69	1599-829-209	1599-829-209	1599-829-209	1599-829-209
Jabra DIAL™ 520 MS	OD	75	7521-09	7521-09	7521-09	7521-09
Jabra SPEAK™ 410	OD	76	7410-209	7410-209	7410-209	7410-209

ADAPTERS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra LINK™ 14201-16	EHS Adapter	83	14201-16	14201-16	14201-16	14201-16
Jabra LINK™ 14201-22	EHS Adapter	87	14201-22	14201-22	14201-22	14201-22
Jabra LINK™ 14201-30	EHS Adapter	88	14201-30	14201-30	14201-30	14201-30
Jabra LINK™ 220		95	220-19	220-19	220-19	220-19
Jabra LINK™ 280		96	280-09	280-09	280-09	280-09
Jabra LINK™ 850		97	850-09	850-09	850-09	850-09
Jabra GN8000		100	8000-04	8000-04	01-0119	01-0164
Jabra GN8210		101	82102-01	82102-02	82102-05	82102-03
Jabra GN1200		104	88011-99	88011-99	88011-99	88011-99
Jabra GN DanaSwitch		106	1600-719	1600-719	1600-719	1600-719
Jabra GN1000		108	1000-04	01-0397	01-0369	01-0397

CONNECTOR CABLES			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Connector cable (QD-Jack 2,5mm)		110	8800-00-46	8800-00-46	1005143	1005143
Connector cable (RJ9-Jack 2,5mm)		112	8800-00-75	8800-00-75	8800-00-75	8800-00-75
Connector cable (QD-Jack 3,5mm)		115	8800-00-87	8800-00-87	8800-00-87	8800-00-87
Connector cable (QD-jack 2.5mm)	4 Pole Jack	116	8800-00-79	8800-00-79	8800-00-79	8800-00-79

NC = Noise-cancelling
OD = Omni Directional
NB = NoiseBlackout™

N/A = Not available